

ace de eci i a i t , de al i g f i c l i t , l a l a i t al i g
i h lec la eigh c i g le a e h e t e i l i z e d a e d
f h e e al f d e e g e f e i c i c l i t [15].
H e e , h e e a a c h e e c e a i e i c i t , i c l i e f
c i d e a b l e i e i l i z a i t , h a d k b e i d e i l i z a i t f g a i c
l e d i a e a c h a i a d e a e l c i c e a e d f
a e d g e d e i e d [16]. R e g a d i g h e d e c i i t f g e a e a i d
a e d f a l e d c i t i g h b e a d a g e a d a i d
e g a d i g h e e i c e e a c h i e f d e c e a e i d c i t
i e c a e c a l a e a l e h g h (i c i a i t). H e e
a i c a i t e h d f e l i i a i g d e e g e f S D S e i g
e i e a c b e f e e a e d i g e i t a i l i z e d . V a i a b l e a i d
f h i e h d a e a e d t i l i z e d g e e h e a c k l e d g e d
l i i a i t [17]. S h k i g t e a l . [23], i l i z e d S D S - P a c t a i d e g e l
e l e c h e i (P A G E) i h e a a i g e i i a e l i g g e l
(l a b e l l e d b y h e a I D E - g e l c i c e a i t e g a d i g h e d c i t f
h e c l i c a e d a a e b e i d e e d d i e f d e d i d i a l
e l e c h e i (I D E) . i e f a i l a i t i g h b e i a l i z e d i
h e f f c a i l e d S D S - P A G E a g e i h h e i a c h h e i f
b i a c l e c l e e i g a k i c h a g e a a i t h e e i d e c e
f S D S [18]. i d l a i t f h e a b b e i a e d S D S - P A G E a
i l l a e d b e a l i c a b l e i h e f f a d c i t e c h i e i h
c i c e a i t a l e c l e d i g b e i d e e e a i t f e i




Figure 3: Bar charts showing the number of reliably identified proteins across six sample categories. The top chart shows results for 2% SDS, elective abortion (1), 4% SDS, elective abortion (2), urea-thiorea, elective abortion (3), 2% SDS, missed abortion (4), 4% SDS, missed abortion (5), and urea-thiorea, missed abortion (6). The bottom chart shows results for 2% SDS, elective abortion (1), 4% SDS, elective abortion (2), urea-thiorea, elective abortion (3), 2% SDS, missed abortion (4), 4% SDS, missed abortion (5), and urea-thiorea, missed abortion (6).




Figure 4: Dendrograms showing clustering by variability for sample replicates and quantification. The left dendrogram shows clustering by variability for sample replicates, and the right dendrogram shows clustering by variability for quantification. Both dendrograms show a high degree of entanglement (0.02).

References

FÉÁ Ó^||SÉÁÚæç^}æhÜÉÁ Tæccæ:ÁÚÉÁY[^ RÉÁ Yæ } *Á TÉÁ^cæEÉÁÇGÉFFDÁWc]æ~Á [-Á-! { æj}Á, ç^ÁÁ]æiæ }Á^ { á^áá^á|jç^ÁÁá[]^]æc@ [^ }Á- [!Á^* [àæ|æ }æ^ *j^Áá } }]Áæ& [@ [|á& ^çæ [@^]æ]æcæ:ÉÁÚ! [ç^ [{ ÁÓj}ÁÇE]]ÁÍKHJÍÉÍÉ

GÉÁ Z@ [^ ÁSÉÁ Yæ } *SÉÁ Ö [@Á YÁÇGÉFÍDÁW } á^!cæ } áá } * { i••i } *]! [ç^i } •Káæ~ } &cá [}æ|Á]^!]^&çç^ÉÁÖ!^ *ÁÓi•& [çÁV [áæ^ ÁGHKÍ I IÉÍÉ

HÉÁ Ü^áá^ÁÚÉÁÜæ~ÁÚÉÁÚ!çæ:çæçæÁÚÇGÉFÍDÁV@^Á^~^cç[-c@^ÁP^ { æ }ÁÚ! [ç^ [{ ^æ } áç@^Á { i••i } *]! [ç^i } •Káá^ *i } *ÁÁ^]^ÁÉU { i&•ÁRÁQ } ç^ *ÁÓi [|ÁFJKÁGÍÍÉÍÉ

IÉÁ Ö!^ [•@^Á CÉÁ Tæ * á^Áá } Á ÚÉÁ Y^ Á ÓÉÁ Pá:æ [Á YÉÁ Z@æ } *Á YÉÁ^cç [ÉÁ ÇGÉFÍDÁ Y@^ Á æ!^Á ç@^Á { i••i } *Ká Ói [i] - [! { æc&•Á &@æ:æ&c^i:æcá []Á [-Á { i••i } * @^ { æ }Á]! [ç^i } •NÁ RÁ Ú! [ç^ [{ i&•ÁFÍJKÍÉÍÉ

IÉÁ Væi:æá^Á CÉÁ SæiS^~^ } Á ÚÉÁ Tæjæ••i } ^Á CÉÁ VÍ& [çç^cá XÉÁ Ó]æá } Á ÚÉÁ^cç [ÉÁ ÇGÉFFDÁ Ó@æ:æ&c^i:æcá []Á [-Á@^ { æ }Áçç| | ^ •æ } á^cç:æçç| | ^ •Áç [] @ [à|æ•c•Ái [|æc^á^! [{ Áç@^Á , !:cç:á { ^c^Á }]æ&^ } çæÉÁ SæáQ } ç^cá^Á FÁFFJJEFGÉFÉ

IÉÁ Pæ: [^Á ÓÉÁP^ } á^! • [] ÁRÉÁ Öæ: } ^Á ÚÁÇGÉFÍDÁÇEá [!cá [] Áá } Áç@^ÁW } á^áÁ Úçæc^•ÉÁÇE } ^Á Ú^çÁÚ^ á|áÁP^æ|ç@ÁGÍKÁÍÉFÉÁÍFGÉ

IÉÁ ÁÇGÉGGDÁV@^ÁP^ { æ }ÁÚ! [ç^i } ÁÇEç]æ•ÁV••~^ÁÇEç]æ•ÁV@^ÁÚ]æ&^ } çæhÚ]^&á, &ÁÚ! [ç^ [{ ^É

IÉÁ T [!áTÉÁQ •@i\æ, æhÖÉÁ S^ [ÁÚÉÁ T i •@i T i •@i ç@^Á M ... OFDZ Ú]æ& I á• { T á