

A Review of Scrambler Therapy for Chronic Neuropathic Pain

Alexandra M Lesenskyj¹, Christina R Maxwell¹, Shannon Brown² and Ricardo A Cruciani^{1*}

¹*Department of Neurology, Drexel University College of Medicine, Drexel Neurosciences Institute, Philadelphia, USA*

²*Capital Health Systems, Capital Health Medical Center, Pennington, USA*

***Corresponding author:** Ricardo A Cruciani, Department of Neurology, Drexel Neurosciences Institute, Drexel University College of Medicine, Mail Stop-423, 7102-New College Building, PA-19102, Philadelphia, USA, Tel: 215-762-4592; E-mail:

Received date: May 19, 2016; **Accepted date:** August 24, 2016; **M X V W** ☎ D Q G U D 0 / ☎ D H _ ☎ Z K L A•☎

Rand=randomized Pros=prospective, Retro=retrospective, CS=Case Series, CR=Case Report, LBP=lower back pain, PS=post-surgical pain, neuropathic NP=pain, post-herpetic neuralgia=PHN, SCS=spinal canal stenosis, CP=cancer pain, TN=trigeminal neuralgia, BP=brachial plexopathy, FBSS=failed back surgery syndrome, SP=sciatic pain, LP=lumbar pain, PuN=pudendal neuropathy, PMP=post-mastectomy pain, RP=radiation related pain, SSSP=single-site spine pain, MSP=multi-site pain, CRPS=complex regional pain syndrome, PN=peripheral neuropathy, PolyN=polyneuropathy, NocP=nociceptive pain.

^a=sham-controlled; ^b=stratified

Cancer-related pain

signif cant

T e signif cant

Citation: Lesenskyj AM, Maxwell CR, Brown S, Cruciani RA (2016) A Review of Scrambler Therapy for Chronic Neuropathic Pain. *J Pain Relief* 5: 260.

T e
