Research Article Open Access

Allelopathic effect of parthenium (*Parthenium hysterophorus I.*) Powder on emergence and seedling growth of arabica coffee (*Coffea arabica I*)


part) ground

parameters s

.) Powder on emergence and seedling


). Adv Crop Sci Tech 10: 492.

Copyright: © 2022 Bidira T, et al. This is an open-access article distributed under use, distribution, and reproduction in any medium, provided the original author and



Citation:

source are credited.



D , ... E .

2017/18. | 356 | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' | 360 50' |

L .

P. hyestrophrous o

ر المراجع الم

يعي ۾ فراوي ۾ فراف ۾ فاف الفائي شاه فراف سي سي شراع العربي ۾ نام الع

Citation: Bidira T, Bayissa W, Tolesa K, Bacha G (20 Parthenium hysterophorus I

). Adv Crop Sci Tech 10: 492.

Page 5 of 5