Research Article Open Access

An Ultra-Sensitive and Selective LC-UV Method for the Simultaneous Determination of Metformin, Pioglitazone, Glibenclamide and Glimepride in API, Pharmaceutical Formulations and Human Serum

Najma Sultana¹, Safla Naveed^{1,2*} and Saeed Arayne M³

Abstract

```
K
         1-41-14
Ι.,
     را عوا & 2 ورايورا
Min 4414
461997
1194 666
   57819 4
()) atttair. ?!
44 (2), 4
Q, 2(Q,2(c)2.
geg<sub>1 1</sub>, e<sub>n</sub> 7 , e<sub>1</sub> 6
  เริ่าได้
15.4 TILA.
114641
1% , 15
1. 1 6- 1, 1, 6- 1, 1, 1
411,4412
```

*Corresponding author: Safla Naveed, Research Institute of Pharmaceutical Sciences, Department of Pharmaceutical Chemistry Faculty of Pharmacy University of Karachi, Pakistan, Tel: 00921-36632471; E-mail: safla117@yahoo.com; safla117@gmail.com

Received October 31, 2013; Accepted December 16, 2013; Published December 18, 2013

Citation: Sultana N, Naveed S, Saeed Arayne M (2013) An Ultra-Sensitive and Selective LC-UV Method for the Simultaneous Determination of Metformin, Pioglitazone, Glibenclamide and Glimepride in API, Pharmaceutical Formulations and Human Serum. J Anal Bioanal Tech 5: 176. doi:10.4172/2155-9872.1000176

Copyright: © 2013 Sultana N, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Research Institute of Pharmaceutical Sciences, Department of Pharmaceutical Chemistry Faculty of Pharmacy University of Karachi, Pakistan

²Jinnah University for Women, Karachi, Pakistan

³Department of Chemistry, University of Karachi, Pakistan

```
Е 🛛 .
                                           -69
                                              41411
                                           16
230, 235 240 (5
                                           Α.
                  1 (1504.6 , 5.)
25,0.46.)
                                          21429.20
11819 481 C
ลาทาจำ"
444
ไม่เรารอสร
1200,400 part
235
   1968 M
19119 2.5-25
1
M . .
11673
Per July
MAI F10 .7
(5.03)
1 1 20 171
(1504.6, 5
1601
989.
16
  45.544
the line
10 pr 28
17-19 80 80
Whi 10.45
```

n 48m

Citation: Sultana N

Citation: Sultana N, Naveed S, Saeed Arayne M (2013) An Ultra-Sensitive and Selective LC-UV Method for the Simultaneous Determination of Metformin, Pioglitazone, Glibenclamide and Glimepride in API, Pharmaceutical Formulations and Human Serum. J Anal Bioanal Tech 5: 176. doi:10.4172/2155-9872.1000176

Page 4 of 6

					l		

 Citation: Sultana N, Naveed S, Saeed Arayne M (2013) An Ultra-Sensitive and Selective LC-UV Method for the Simultaneous Determination of Metformin, Pioglitazone, Glibenclamide and Glimepride in API, Pharmaceutical Formulations and Human Serum. J Anal Bioanal Tech 5: 176. doi:

Citation: Sultana N, Naveed S, Saeed Arayne M (2013) An Ultra-Sensitive and Selective LC-UV Method for the Simultaneous Determination of Metformin, Pioglitazone, Glibenclamide and Glimepride in API, Pharmaceutical Formulations and Human Serum. J Anal Bioanal Tech 5: 176. doi:10.4172/2155-9872.1000176

Page 6 of 6

- 17. Arayne MS, Sultana N, Mirza AZ (2011) Simultaneous determination of gliquidone, pioglitazone hydrochloride, and verapamil in formulation and human serum by RP-HPLC. J Chromatogr Sci 49: 114-117.
- Sultana N, Safla Naveed, Arayne MS (2013) Monitoring of in vitro interaction studies of enalapril with hypoglycemic agents by LC-UV. Research and Reports in Medicinal Chemistry 3: 1-7.
- Sultana N, Naveed S and Arayne MS (2013) Development and validation of a simple and effcient RP-LC method for analysis of captopril, metformin,
- pioglitazone and glibenclamide in API, formulations and human serum. Pharm Anal Acta 4: 257.
- 20. Craig CR, Stitzel RE (2004) Modern Pharmacology with Clinical Applications. Lippincott Williams & Wilkins, Philadelphia, USA.
- 21. ICH Harmonised Tripartite Guideline (1996) Validation of Analytical Procedures: Text and Methodology Q2(R 1). International Conference on Hormonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, London.