

Antimicrobial Sensitivity Pattern of *Pseudomonas fluorescens* after Biofield Treatment

Trivedi MK¹, Patil S¹, Shettigar H¹, Gangwar M² and Jana S^{2*}

¹Trivedi Global Inc., 10624 S Eastern Avenue Suite A-969, Henderson, NV 89052, USA

²Trivedi Science Research Laboratory Pvt. Ltd., Hall-A, Chinar Mega Mall, Chinar Fortune City, Hoshangabad Rd., Bhopal- 462026 Madhya Pradesh, India

***Corresponding author:** Snehasis Jana, Trivedi Science Research Laboratory Pvt. Ltd., Hall-A, Chinar Mega Mall, Chinar Fortune City, Hoshangabad Rd., Bhopal- 462026 Madhya Pradesh, India, Tel: +91-755-6660006; E-mail: publication@trivedisrl.com

Received date: June 18, 2015; **Accepted date:** June 27, 2015; **Published date:** June 30, 2015

Copyright:Received Ar** * *

treatment has been studied significantly and its effects are considerably altered the antibiotic susceptibility and biochemical reactions of microbes against tested antimicrobials [9-11]. However, researchers

Acknowledgement

Authors gratefully acknowledged the whole team of PD Hinduja National Hospital and MRC, Mumbai, Microbiology Lab for their support.

Conflict of Interest

The authors declare that they have no competing interests.

References

1. Pittman M (1953) A study of bacteria implicated in transfusion reactions and of bacteria isolated from blood products. *J Lab clin Med* 42: 273-288
- 2.