



Aquatic Sports Dermatitis: An Overview

Sunil Kumar Gupta*, Deepika, Veenu Gupta and Monika

Abstract

Cutaneous diseases are common among athletes. Skin eruptions account for almost half of all illnesses related to recreational water. The majority of cutaneous diseases are seen due to chemicals and microbes inhabiting the water bodies. Dermatological diseases commonly seen in swimmers have been described by numerous authors. These sports include swimming, scuba, diving, water polo, and snorkeling. Some of the common dermatological conditions encountered by swimmers in the aqueous medium of activity are reviewed here. Dermatologist should be familiar with these entities as this will greatly improve the physical well being of swimmers in and out of the water.

***Corresponding author:** Sunil Kumar Gupta, Department of Dermatology, Venereology, Leprology Dayanand Medical College & Hospital, Ludhiana, Punjab, India, E-mail: vsunilgupta@rediffmail.com

Received May 27, 2016; **Accepted** June 02, 2016; **Published** June 12, 2016

Citation: Gupta SK, Deepika, Gupta V, Monika (2016) Department of Dermatology, Venereology, Leprology Dayanand Medical College & Hospital, Ludhiana, Punjab, India. Air Water Borne Diseases 5: 125. doi: [10.4172/2167-7719.1000125](https://doi.org/10.4172/2167-7719.1000125)

Copyright: © 2016 Gupta SK, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

P /13 . *S* /15 .

Clinical feature: () () /14 .

Treatment: /15 . /14 . 2%

Pediatric medicine

P /15 .

Clinical feature: 48 .

13.2% 1 22.2% 12
/26 .A, 63.6%
559. /29 .

Clinical feature:

Tea time 250
200 2400

Clinical De ma e

Google

30 . 8 900981100 . 0.035 . 1. 6 1630.1182

Clinical feature: Asymptomatic, self-healing, recurrent, and relapsing. Duration of illness 1-42 days.

Treatment: Antihistamines, corticosteroids, and analgesics. Response rate 2-3%. Duration of illness 1-30 days.

Allergic reaction

1) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.

- 1) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.
- 2) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.
- 3) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.
- 4) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.
- 5) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.
- 6) Allergic reaction to drugs, food, and environmental factors. Duration of illness 1-42 days.

Clinical feature: Asymptomatic, self-healing, recurrent, and relapsing. Duration of illness 1-10 days, 2-42 days.

Treatment: Antihistamines, corticosteroids, and analgesics. Response rate 100%. Duration of illness 1-44, 45 days.

Keywords: Allergic reaction, clinical feature, duration of illness, treatment, response rate, asymptomatic, self-healing, recurrent, relapsing, duration of illness, 1-42 days, 1-30 days, 1-42 days, 1-42 days, 1-42 days, 1-42 days, 1-42 days, 1-10 days, 2-42 days, 1-44, 45 days.

Citation: Gupta SK, Deepika, Gupta V, Monika