

this adults living with AIDS 30.8 million women living with Acquired Immune De ciency Virus (AIDS) 15.5 million and children 2 million are staying with HIV virus. People newly infected with HIV 2.7 million from this newly infected 0.37 million are children. e year 2007 also shows 2 million deaths despite recent improvements in access to anti-retroviral treatment. Since 1981, more than 25 million people have died of AIDS Africa has 11.6 million AIDS orphans [3].

In developing and transitional countries 9.7 million people are in immediate need of life saving AIDS drugs; of these only 2.99 million (31%) are receiving the drugs. e end of year 2007, women accounted for 50% of all adults living with HIV worldwide, and for 59% in sub-Saharan Africa. Adults and children living with HIV 22 million and 1.9 million newly infected, adult prevalence 5% deaths of children and adults 1.5 million in sub-Saharan Africa [4].

HIV probably started to spread in Ethiopia in the early 1980s and

Citation: Wakjira AB (2017) Assessment on Knowledge, Attitude and Practice with Regard to the Transmission and Prevention of HIV/AIDS among

Citation: Wakjira AB (2017) Assessment on Knowledge, Attitude and Practice with Regard to the Transmission and Prevention of HIV/AIDS among Barbers and Beauty Salon Workers in Hossana Town, South Ethiopia, 2017. J Clin Diagn Res 5: 136. doi: 10.4172/2376-0311.1000136

Page 4 of 8

average monthly income increase the number of barbers and beauty salon worker decrease (Table 1).

Barbers and Beauty salons that had taken training for their

Citation:

Citation: Wakjira AB

Citation: Wakjira AB (2017) Assessment on Knowledge, Attitude and Practice with Regard to the Transmission and Prevention of HIV/AIDS among