

The results of the fit are shown in Figure 1. The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit. The model parameters are estimated as follows: $\alpha = 0.12$, $\beta = 0.05$, $\gamma = 0.01$, and $\delta = 0.001$. The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit.


Results

The results of the fit are shown in Figure 1. The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit.


The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit. The model parameters are estimated as follows: $\alpha = 0.12$, $\beta = 0.05$, $\gamma = 0.01$, and $\delta = 0.001$. The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit.

Discussion

The model is able to describe the data well, with the predicted values closely following the observed values. The residuals are randomly distributed around zero, indicating a good fit.



(a)



(b)

For the resistin Gamma fitted models (Table 1). Absolute residuals plot with respect to resistin fitted values;

407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500
