



Classification of the Behavioral and Psychological Symptoms of Dementia and Associated Factors in Inpatients in Psychiatric Hospitals – with Special Reference to Rehabilitation

Shigehito Shiota^{1,3*}, Yuki Sugimoto¹, Chiga Murai¹, Maki Kitamura², Shoryoku Hino², Tatsuru Kitamura² and Katsuyuki Shibata³

A 176 -

B D A 2013 2014

. A B D

1

A (. . .) D ,

D ,

() 19 . B D

(. . .) 12 ; , , ,

/ , / , , ,

(1 3) (1 4)

12 =0, =144).

20 .

C

() 21 .

AD - AD (-AD) 22 ,

-AD : / , AD

0 10 , (50) -AD

D

NPI items	NPI score* (mean ± SD)	Patients with symptoms (%)
Delusions	3.5 ± 4.5	44.9
Hallucinations	2.6 ± 4.2	33.0
Agitation	5.9 ± 4.7	70.5
Depression	1.3 ± 2.8	22.7
☺}ϕi^c^	2.8 ± 4.2	37.5
Euphoria	0.7 ± 1.9	14.8
Apathy	2.9 ± 3.9	44.3
Disinhibition	3.1 ± 4.1	44.3
Irritability	5.0 ± 4.5	62.5
☺è^!;æ}ç{ [c[i!à^@æçí [!	4.8 ± 4.8	56.3
Ù ^ ^]!æ}á!}i* @ccí { ^!à^@æçí [i!á!• [iá^!•	4.5 ± 4.7	54.5
☺] ^cic^!æ}á!^æçí *!á!• [!á^!•	1.7 ± 3.4	24.4

EÓæ|&~|æc^á!æ•í•^ç^!;ic^! Á-!-!^~^)&~!;!;æ} *^!è. FG

. A

(5).

. A

23 .

11 .

D B.

D. A

{ ^c@ [ää- [iä* iääi) *äc@^ä& [* }äcä^ä•cäc^ of patients for the clinician. *J Psychiatr Res* 12: 189-198.

22. Þä•@ä { ~ iäVÉäS [ää`ä•@äVÉäPä;ä* ~ &@äÜÉäVä\^ääTÉäØ~ \ ~ }ä*äVÉä^ääFJJDä
Ü&ä^•ä- [iä { ^ }ää|•cäc^ää) äääää| ^ ä|äcä } * ääcäcäcä^•ä- [iäc@^ä^|ä^! | ^äÖä| ä&ä| ää@äcä [iä|ä