Ke[illegible]d : [illegible]

Bac[illegible]d

[illegible]

***Corresponding author:** Dr. Jerocin Vishani Loyala, Department of Medical Science, University of Nicosia Medical School, Nicosia, Cyprus, Tel: 07395810759; E-mail: jerocin95@gmail.com

Received September 27, 2021; **Accepted** October 11, 2021; **Published** October 18, 2021

Citation: Loyala JV, Hussain B, Pydisetty G, Michaelides A, Mahr M (2021) Did I Always Have a Hole in My Glove? Prevalence and Reporting Practice of Needle Stick Injuries amongst Healthcare Workers in District Hospital. Occup Med Health Af 9.370.

Copyright: © 2021 Loyala JV, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Re [illegible]

De [illegible] a [illegible] c

[illegible]

[illegible]

Need e [illegible] e

[illegible]

[illegible]

[illegible]

[illegible]

Table 1: Breakdown of Needle stick injuries and reporting of the incidents based on gender and grade.

	Needle stick injuries in (N=23)	Reported Needle stick injuries (N=15)	Reporting rate of Needle stick injuries
Gender			
Male	7	2	28.57%
Female	15	12	80%
Did not specify	1	1	100%
Position			
Doctors	15	10	66.67%
Nursing staff	7	5	71.43%
Medical student	1	0	0%
Total reporting	23	15	65.22%

Table 2: Familiarity of The Hospital NSI Policy amongst 3 different answer groups.

Familiarity of Hospital Needle stick reporting Policy	Familiarity without having an NSI (N=46)	Never reported an NSI (N=7)	Familiarity of NSI prior to reporting (N=14)	Total (N=67)
1. Not familiar and don't know what to do	2	0	0	2
2. Not familiar but know what to do	11	3	1	15
3. Familiar and know what to do but need some assistance	13	0	4	17
4. Quite familiar with the policy and don't need any help	8	1	1	10
5. Very familiar with the policy and can help others with their reporting	12	3	8	23
Mean, 95% CI	3.37 (3.01, 3.73)	3.57 (2.45, 4.69)	4.14 (3.56, 4.72)	3.55 (3.25, 3.85)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Acknowledgements

[illegible]

References

1. Protection Agency H. Eye of the Needle 2012 Report (2020).
2. Needlestick Injury. Understanding needle stick injuries (2020).
3. Thomas WJC and Murray JRD (2009) The incidence and reporting rates of needle-stick injury amongst UK surgeons. Ann R Coll Surg Engl 9:12-17.
4. Adams S, Stojkovic SG, Leveson SH (2010) Needlestick injuries during surgical procedures: A multidisciplinary online study. Occup Med (Chic Ill) 60:139–144.
5. Au E, Gossage JA, Bailey SR (2008) The reporting of needlestick injuries sustained in theatre by surgeons: are we under-reporting? J Hosp Infect 70:66-70.
6. Health and Safety Executive (2020) Transposition of the Council Directive 2010/32/EU “Implementing the Framework Agreement on Prevention from Sharp Injuries in the Hospital and Healthcare Sector between