sarwar and Bultdv Crop Sci Tech 2015, 3:5 http://dx.doi.org/10.4172/2329-8863.1000196

Advances in Crop Science and Technology

Research Article Open Acces

*Corresponding author: Atif sarwar, Department of Horticulture, PMAS-Arid Agriculture University, Rawalpindi, Pakistan Tel: 0092-0-333-5203643; E-mail: atif_malikuos@ymail.com; sbutt2@hotmail.com

Received December 18, 2015;

height, shoot length, fresh leaf weight, dry leaf weight, ower diameter and rose water were collected. e data were collected from di erent treatments laid in RCBD which were statistically analyzed through the analysis of variance techniques and the tables of variance were constructed.

Results and Discussion

E ect of gamma radiations on rose mutant lines

Plant height of two rose lines (Figure 1) depicted signi cant di erence under varying levels of gamma radiations. Results revealed the maximum (32.66 inches) was observe@ircentifoliaat T

Page 3 of 5

E ect of gamma radiations on number of shoot $\mbox{\it Rim}\mbox{\it sa}$ centifolia and R. gruss an teplitz

each other.R. centifoliashows maximum (28.63) $\mathrm{in}_{_2}\mathrm{Treatment},$ similarly

Page 5 of 5

- 15. Amiri S, Kazemitabaar SK, Ranjbar G, Azadbakht M (2010) the effect of UULAXUDOLQ DQG FKROFKLFLQH WUHDWPHQWV 18. % DUQDEDV % 2EHUW % 2YDFV *. &ROFKLF RdQublingRadgesnKfort @nalizeL(Zea) @naysFlK)DrtübDosspWrest IdulltWreW.LPFfaWt celll IRep Jimsonweed (Datura stramonium). Turk J Sci 8: 47-61. 18: 858-862.
- 7 K H 5 R V H H [S H U W 3 X E % U L W D 19 10 10 10 10 Pollinetign of this tagion and fruit characters in cowpea (Vigna 16. + H V V D \ R Q '* unguiculata). Gha J Sci 10: 33-37. Herts, England.2003.
- 20. Raufe S, Khan IA, Khan FA (2006) Colchicine-induced tetraploidy and changes 17. Senapati KA, Rout DC (2010) Gamma irradiation for insect disinfestations in allele frequencies in colchicine-treated populations of diploids assessed with $\texttt{GDPDJHV} \ \ \texttt{QDWLYH} \ \ \texttt{\$XVWUDOLDQ} \ \ \texttt{FXW} \ \ \grave{\texttt{A}} \ \texttt{RZHUV} \ \ \ + \ \texttt{RUWR} \ \ \texttt{APPDL} \ \texttt{Lmarkers} \ \text{in (Gossypium arboreum)}. \ \ \texttt{TurkJBiol} \ \ 30:93-100.$

Submit your next manuscript and get advantages of OMICS Group submissions

Unique features:

- Increased global visibility of articles through worldwide distribution and indexing
 - Showcasing recent research output in a timely and updated manner Special issues on the current trends of scientific research

Special features:

- 700 Open Access Journals 50,000 Editorial team
- Rapid review process
- rapid review process
 Quality and quick editorial, review and publication processing
 Indexing at PubMed (partial), Scopus EBSCO, Index Copernicus, Google Scholar etc.
 Sharing Option Social Networking Enabled
 Authors, Reviewers and Editors revarded with online Scientific Credits

- Better discount for your subsequent articles

Submit your manuscript at http://www.omicsonline.org/submission/

Citation: Sarwar A, Butt SJ (2015) Evaluation of Mutant Lines of Rosa Species. Adv Crop Sci Tech 3: 196. doi:10.4172/2329-8863.1000196