

False Positives Bladder Scan in Anuric Patient with Ascites: A Case Report

Amro Alamassi*, S Ali, R Rampal

Department of General Surgery Department, Airedale General Hospital, Keighley, West Yorkshire, United Kingdom

Introduction

Urinary retention is one of the common presentations that we often encounter in the Emergency Department. Diagnosis is based on history, clinical examination and bladder scan findings. Sometimes the clinical examination is unreliable, especially in patients with high BMI, ascites or antisera. This makes the diagnosis uncertain and the bladder scan readings should be interpreted with caution. Thus, radiological imaging might be required before planning further intervention.

***Corresponding author:** Amro Alamassi, Department of General Surgery Department, Airedale General Hospital, Keighley, West Yorkshire, United Kingdom, E-mail: amroalamassi@gmail.com

Received: 21-Feb-2022, Manuscript No. jmis-20-19500; **Editor assigned:** 24-Feb-2022, PreQC No. jmis-20-19500 (PQ); **Reviewed:** 12-Mar-2022, QC No. jmis-20-19500; **Revised:** 18-Mar-2022, Manuscript No. jmis-20-19500 (R); **Published:** 28-Mar-2022, DOI: 10.4172/jmis.1000127

Citation: Alamassi S, Ali S, Rampal R (2022) False Positives Bladder Scan in Anuric Patient with Ascites: A Case Report. *J Med Imp Surg* 7: 127.

Copyright: © 2022 Alamassi S, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.