

Hippocampal Neuronal Modifications in Intense Worldwide Ischemia and One-Sided Cerebral half of the Globe Localized Necrosis are Impacted by Fringe Leukocytes

Ulrich Kutschera*

c. The acting age in by g = (1, 1)g = (1, 1)

Hippocampal erbali ation of ne roplastic in Al heimers ailment

We saced do not a need degree f_{i} ne so a sign a sign

We is identified the relation of the second state of the second s a. c. a. Mc Mec.ed . . er g.e. MIMN 1 7-V.M. eac. 1. ΠP , $\nabla \cdot \Pi$, $\nabla \cdot e$, $\nabla \cdot e$, $\nabla \cdot e$, $\nabla \cdot e$, ∂P In the been gaged to c c e f earlying, remy, and d certified, $e_i ab a_i \mathbf{n} \mathbf{d} a$. ge. e. $\mathbf{d}_i e_i e_i \mathbf{n}_i, \mathbf{n}$. $e_i - \mathbf{n} \mathbf{a}'$. $(1) ca_i - \mathbf{v} a_i - \mathbf{e} \mathbf{g}_i, \mathbf{n}$ in A enne. ic ne. Niced rid cai if fin carva N $i_1 = \gamma - \gamma \cdot \eta$ leac, i_1 are $b_1 = c'_1 \eta$ decred i_2 b \cdot e $c'_1 \eta$ e and eand eenen f be, e cca, n in P, v, in O, e,e ec, rend. a. e a a, i fN a. c a, M. N. ee i carva eg d'areadrecre fareaci n. ea en en ener i a g ca c a nge b, g, ab, b P, γ , η , η , η , η , η , d, ece, η de a ed (1,1) (1,1 $\begin{array}{c} c & \neg v \in \Pi \ a \ \ \ c \ \ a \ \ b \ \ b \ \ c \ \ b \ \ b \ \ c \ \ b \ \ c \ \ b \ \ c \ \ b \ \ c \ \ b \ \ c \ \ \ \ c \ \ \ c \ \ \ \ \ c \ \$ e e b ed. a. R. ebeg MM, ng a e fP. M. ec vee N a. c. a, Minterment i e a en in. e denta eg ..., e. en a , the ec. ed b NFT [7]. A . e. (c, the, ad a tice, N $_{ij}$ γ - γ , η , eac. (i) e ge, M. eDG. allinage ac ed c M. ... Man ca e, e general gni e di vin e in indentab e a vined eg in and $\neg v$. $e \neg v$ a_i ca i | || CA1, a defe $|| e e_i | (1 - ca \neg v a_i) eg_i ||_i$. e $\neg v$. e'e a.ed $\neg e$ a e fa $\neg v$ d a e and NFT b de n Regade. $f_{i} = f_{i} f_{i} f_{i} q_{i} N_{i} a_{i} a_{i} a_{i} n_{i} n_{i} n_{i} n_{i} n_{i} a_{i} a_$ N in reach in the interior of the interior

Concl sion