Introduction

Face Shield, Goggles and Masks Related Aberrations

Indirect Ophthalmoscope (IDO)





90 D Slit-Lamp Examination



Contact Procedures









Operating With Personal Protective Equipment (PPE)



Mask Related Aberrations in Visual Field Analysis (VFA)

Reuse of PPE

Face Masks and Dry Eyes

Eye Strain and Headache with Face Masks

Increased Risk of Exposure-Induced Photo-Retinitis

Conclusion

References

1. Mensher J (1979) Duke-Elder's Practice of Refraction. Arch Ophthalmol. 97:1999–1999.

2. Lai YH, Sheu SJ, Wang HZ (2020) A simple and effective protective shield for the ophthalmoscope to prevent COVID-19. Kaohsiung J Med Sci. 36:570-571.

3. Sheehan M, Goncharov A, Sheehan M, Goncharov A (2011) Unwanted reflections during slit lamp assisted binocular indirect ophthalmoscopy. JMOP. 58:1848–1856.

4. Deshmukh A.V, Badakere A, Sheth J, Bhate M, Kulkarni S, et al.(2020) Pivoting to teleconsultation for paediatric ophthalmology and strabismus: Our experience during COVID-19 times. Indian J Ophthalmol. 68:1387–1391.

5. Sharma M, Jain N, Ranganathan S, Sharma N, Honavar S.G, et al. (2020) Tele-ophthalmology: Need of the hour. Indian J Ophthalmol. 68:1328–1338.

6.