



Keywords: Pregnancy depression, maternal and fetal health, anxiety and depression, child birth, domestic violence, social media, electronic communication, pregnancy complications

Introduction

Each year, 18,000 children are born prematurely in the United States, accounting for 6.6 percent of all births, and 12.9 million children are born with low birth weight, accounting for 9.6 percent. Premature birth is the leading

Asif Bilal, Impacts of Depression on Pregnancy: A Review

April 06, 2021; May 07, 2021; May 14, 2021

Bilal A (2021) Impacts of Depression on Pregnancy: A Review. *Occupational Medicine & Health Affairs*

© 2021 Bilal A. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

gender balance in science, in the field of psychology, the focus is on women. In the field of mental science, the emphasis is on the mother and father who should be guiding the child. Postnatal depression is related to the child's outcome, which has an emotional and behavioral effect. In a study, postnatal depression does not have an impact on the child's

child's growth. This is a significant finding. The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome.

The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome.

and mental health. The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome. The study also found that postnatal depression is related to the child's outcome.



ma be a i k of com lica on d e a hi of ch onic de e ion. e e a e man com le e occ ed d ing bi h and i main ea on i de e ion, an ie and e . And he ea on behind he e com le i dome ic iolence, ho monal change and ome me gene . So i need a oid all he e ea on hich enhance de e ion b b com le e in egnanc .

1. CE[]•[Á RÉÁ (E) *^! { ^~^!Á T ÔÉÁ Ó^!}^!cÁ ÚÉÁ ^cÁ æjÉÁ (G€€IDÉÁ ÓUÒT^ÔP PÓÖÒCEÁ G€€€ÁU)ç^•cÁ^æc[!•ÉÁÓ^!;[]^æ)ÁÚc^•á^Á [-Ác@^ÁÓ]já^ { i[[[*^Á [-Á T^)cæ]ÁÓi• [!á^!•Á (ÓUÒT^ÔDÁ Ú! [t^&cÉÁ Ú!^çæ[^]&^Á [-Á { ^)cæ]Á ái• [!á^!•á)Á Ó^!;[]^ÁÁ!^•^!cÁ-! [{ Á c@^Á Ó^!;[]^æ)Á Úc^•á^Á [-Á c@^Á Ó]já^ { i[[[*^Á [-Á T^)cæ]Á Ói• [!á^!•Á (ÓUÒT^ÔDÁ]! [t^&cÉÁCE&cæ]ÁÚ•^•&@æc!ÁÚ&æ) áÁÚ^•]]ÉF€JÇ I G€DKGFÉG ÍÉ
2. CE!^æ•Á T ÔÉÁ S^ { æiÁ ÜÉÁ Óæi!;[•Á PÉÁ ^cÁ æjÉÁ FJJÍÉÁ Ô [{]æ!æcç^Á á) &á^)&^Á [-Á depression in women and men, during pregnancy and after childbirth: validation [-Á c@^Á Óá) à^!•@Á Ú [•c)æcæ]Á Ó^!;Á••;[]Á Ú&æ!^Á á)Á Ú [!c^•^•^Á { [c@^!•ÉÁ Ó!Á RÁ Ú•^•&@æc!^ÉF Í JÇFDKH€EH ÍÉ

HÉÁ