

Case Report

. . / .

Page 2 of 9

η το μαι^{τη}τια το βουρατού βουατικό το βουρατού από το βουρατού βαιλο. βουρατοβάτοι το βαία το το βαίο το βάτο το ^ατιδιατού από το βαία το βάτο το βαία το βάτο το βάτο το βάτο το βάτο βουρατοβάτοι το βάτο το

Page 4 of 9

6 ⁴ (1) 3 - **34 1 1**4 1 b 413.13 4 30 7 þ. sþh 1 ,1 \$ **}** -n يد د و ه در , **}`**34 11 2 2 2 ¥ 4 ; 34 J. 1 44 4 - - k + k; • ,• 11 * 1 A. · 11.4 .

Page 5 of 9

 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 μ
 ₩•×2, ¥•, Þ•.

4

مېپېد ځې پېس^ه ۵ مډېلې د ټېلېدې څخه ۵ مخته ۵ م م م ۹ م ۹ مې ۹ مې ۹ مې د ۹ ۹ ۹ ور د د پېښتې د د بې ۹ مې و ۹ کې تې

38.1% > > , . . .

As 2 = 2 = 3.9% \$, c * * * 2 = 4 + 2 = 4 + 2 = 95.9% \$ = 2 = 2 = 2 96.3%

1

a, a¹ hal a , 1 be bane k, , 1 k 30 . 90.1% • 95.7% يذ ذر ر 34 [₽]2, ₁₆ № 24 ., ₆ ., 1 . , № 4 44 4 41. 10 + C + 1 + 20 + 1. 2 61 3 A. 11 4 A • 87.1%• • • _•.• • • • هد 📲 -96.6% پد در ا ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ ، ۲۰۰۰ 1- 16 -16 92.1% -<u>}. . .</u> - **h** 1

 A...
 A...

	Program Visit											
Deccen Civery		Visit 1		- 5	Visit 2	Visit 3						
Reason Given.	Urban (n=566)	Rural (n=932)	Total (n=1498))	Urban (n=134))	Rural (n=378))	Total (n=512)	Urban (n=24)	Rural (n=129)	Total (n=153)			
My child is too young	64.1	86.1	77.8	61.9	76.5	72.7	70.8	72.1	71.9			
I don't know a dentist	11.5	7.9	9.3	9	8.7	8.8	4.2	9.3	8.5			
fear going to the dentist	1.8	2.5	2.2	2.2	3.4	3.1	0	0.8	0.7			
We do not have dental insurance	4.8	0.2	1.9	3	0.8	1.4	8.3	0.8	2			
Transportation is a problem	3.2	0.6	1.6	5.2	0.5	1.8	0	0.8	0.7			
We cannot afford to go	1.8	0.2	0.8	0	0	0	4.2	0	0.7			
Don't accept Insurance	1.4	0.2	0.7	3	0	0.8	0	0	0			

Table 7: Parent/Guardian Reasons for Child not Seeing a Dentist at Each Visit (in percent).

	Program Visit														
	Visit 1			Visit 2			Visit 3			Visit 4			Visit 5		
Topics Discussed:	Urban (n=1805)	Rural (n=2274)	Total (n=4079)	Urban (n=697)	Rural (n=1005)	Total (n=1702)	Urban (n=231)	Rural (n=427)	Total (n=658)	Urban (n=43)	Rural (n=139)	Total (n=182)	Urban (n=3)	Rural (n=19)	Total (n=22)
Written materialson oral health given	98.3	98.4	98.4	96.4	97.2	96.9	97.8	99.3	98.8	100	98.6	98.9	100	94.7	95.5
Appropriate brushing/use of À X R U L G H	98 IRU DJ	98.9 H	98.5	96	97	96.6	97.4	99.3	98.6	100	98.6	98.8	100	100	100
Frequency and type of carbohydrate rich snack/beverage	92	53.6	70.6	91.2	33.6	57.2	87.9	35.4	53.8	81.4	29.5	41.8	33.3	31.6	31.8
Appropriate use of bottle/Sippy cup	49.4	56.8	53.5	42.5	50.4	47.2	36.8	36.1	36.3	37.2	33.1	34.1	33.3	15.8	18.2
Fluoride concerns	6.5	23.5	16	1.6	8.5	5.6	1.7	3.5	2.9	2.3	1.4	1.6	0	0	0
Dental visit encouraged	26.5	21.2	23.6	21.1	27.8	25	19.9	32.3	28	44.2	36.7	38.5	66.7	73.7	72.7
Sharing germs – maternal/child	11.9	2.1	6.4	4.9	0.2	2.1	0.9	0	0.3	2.3	0	0.5	0	0	0

Table 8: Topics Discussed By Staff at Each Oral Health Visit (in percent).

1, 4k 4 31 1 4 3.

 $G_{\mathbf{q}} k : I : I = \{ \mathbf{q} \in \mathbf{q} \ k \in \mathbf{k} \}$

a, 2, 1, ⁴ar 2. e. ≱s≱ k. a, 1 , ke 2 k2 e. ke ree 1 k e. 2a € .a k e k2 , e ke .

2, 4,

· * * · · · · · · * · * · "·, k. .. k .. k . k. a * a 2 a vinal a \$ 1. / \$. 10 "? <u>،</u> (≱a, ya , βa β, 2+ a a, βa βa βa βa βa , 2+ y βa, ya , ya β . ≰ بېد. بېد ≰•

ه والإير مع الله بدوام در المج الحر الج الحرب في الحرب م 4 k k s ... e e s, 4 e . k e, 1e, ke e ... e k e. k e . k e . k ... e ... se , k e . e . s. Fk ... ke k ... k k .. · Hay you be the ... I as the be and at a part such a be so of . Into a And a state seat a feater.

14 \$2. IC. 16.0 \$ \$1. 10. 10 10 10 \$ 5. 10 110. \$1. 10. . # 1 1 - 1 to -

موه که او به مرهو مرهو او مرهو مرهم مرمون مرود المرود المرود ۲۹ م مرود مرهو که ۱۹۹۵ مره کو که دار کو ۱۹۹۵ مرود مرود کو که ۱۹۹۵ مرود کو ۲۹۹۵ مرود کو ۲۹۵۵ مرود کو ۲۹۹۵ مرود ۱۹۹۵ مرود کو ۲۹۹۵ مرود کو مرود مرود مرود کو ۲۹۹۵ مرود کو ۲ 24.24 8.1 30 0 134.3.

د، ۴۰ و فر ۲۰۰ مرد ۲۰ مر ۲۰ \$1. 11. F••\$ \$1) ۹ ۹ ه مړ. در به ۱۹۹۰ ۹۰٫۰۰۰ ۲۰۰۰ هر ۹۹ ્ય ન ત્યકે માટેક 🏚 in a h hin, se - zi e e sh h h is hi. IC, h i η hes.

Page 8 of 9

^{3 6}

Page 9 of 9

- 10. Centers for Disease Control and Prevention (2011) Untreated dental caries (cavities) in children ages 2-19, United States.
- 11. Chi D, McManus B, Carle A (2014) Caregiver burden and preventive dental FDUH XVH IRU 86 FKLOGUHQ ZLWK VSHFLDO KHDOWK FDUH QHHGV \$ VWUDWL; HG DQDO\VLV based on functional limitation. Matern Child Health J 18: 8828-8290.
- 12. Weintrab JA, Ramos FG, Jue B, Shain S, Hoover CI, et al. (2006) Fluoride YDUQLVK HI;FDF\ LQ SUHYHQWLQJ FKLOGKRRG FDULHV - 'HQW 5HV
- Vargas CM, Ronzio CR (2002) Relationship between children's dental needs and dental care utilization: United States. Am J Public Health 92: 1816-1821.
- 14. Clark SJ, Duong S, Fontana M (2014) Dental provider attitudes are a barrier to H[SDQGHG RUDO KHDOWK FDUH IRU FKLOGUHQ "\HDUV RI DJH *OREDO 3HGLDWULF +HDOWK Journal 1: 114.
- Newacheck PW, Hung YY, Park MJ, Brindis CD, Irwin CE (2003) Disparities in adolescent health and health care: Does socioeconomic status matter?. Health Serv Res 38: 1235-1252.
- 16. Wymyslo T (2011) A report on the oral health of ohioans and their access to dental care. Ohio Department of Health.
- 17. American