

study objectives, selecting appropriate endpoints, and establishing

References

1. U { ^!ACEi}ÁÇG€€GDÁCase-based instruction strategies in architecture. Des Stud 23: 407-431.
2. Ö~ætc^ÁRÁÇFJJÍDÁW•i} *ÁÖiæ { { æ!•Ác[ÁÖ~•c[{ i:~Á Tæ••Á P[~•i} *Ác@ÁÁ Öæ•ÁÁ [-Á Úi:æ!Á P[~•ÁÁ æçÁ Tæ!æ*~Ái!æÁ ÇCEPÚ. World Congress on Housing Lisbon Portuga.
3. Ö@~@æÁÇE|. \æ: :æ: ÁÇG€€FGDÁ-!æ { ^, [!VÁ-[!Áæáæ]æçá[!Ái}Á•@æ]ÁÁ *!æ { { æ!•. Des Stud 33: 342-356.
4. Ó^!}æ!áÁ Öæ&@ÁÇFJJÍDÁ Öætc@Á T[ÇÁ•Ác@ÁÁ Ø~!}i•@i} *Á [-Á V^!iæ[!iÁ•. The MIT Press Cambridge.
5. Salam Ali (2014) !^Ç^!•ÁÁ} *i}^Ái} *Á[-!Á { æ}~æ&c~i} *!æ]]! [æ&@. Comp Aided Des Appl 11: 694-703.
6. Lv Z, Chu Y,Wang Y (2015) PÜXÁ]! [c^æ•ÁÁi} @iáç[!•Áæ!Á^Çi^, Á [-Á { [!^&~]æiÁ selectivity and toxicity. HIV AIDS Res Palliat Care 7: 95-104.
7. Y][áæ, ^!ACEiX[]á!æ•^ÁRÁÇFJJÍDÁQ) @iáç[!•Á[-!PÜXÉFÁ]! [c^æ•ÁÁæ! { æ[!Á•~&&^••Á [-Á•ci~&c~!ÁÉæ••i•c^Ááá!~ *Áá^•i} *ÁÁÇE) }~Á Ú^ÇÁÖi[]@~•ÁÖi[{ [!ÁÚc!~&çÁGÍKÁGÍJÉ GÍIÉ
8. Üi}ÁRÉÁŠáÜÉÁÜæ^ÁRÁÇG€€FEDÁA human gut microbial gene catalogue established by metagenomic sequencingNature. 464: 59-65.
9. ÇEá~á~&\^!ÁÜÉÁÜ^*æç!PÉÁÖ [||RÁÇG€€FGDÁT^æá [i&Á^&[]•ci~&çá[]Á [!Á { ^æ*^} [{ i&Á data and its application to the human microbiome.ÁÚŠ[ÚÁÖ [{]~çÁÖi[]ÁÁiÁ
10. P[•[!æ, æÁVÉÁSi\ &@áYÉPá [@ÁPÁÇG€€ÍDÁStrict host-symbiont cospeciation and reductive genome evolution in insect gut bacteriaÉÁÚŠ[ÚÁÖi[]ÁIÉ