



Abstract

The aim of this study was to investigate antibacterial activity of essential oils and different organic extractives extracted from the medicinal plant . The chemical composition of the hydrodistilled oil was determined by

***Corresponding author:** Md. Abdul Mannan, Department of Chemistry, Rajshahi University, Rajshahi, Bangladesh, Tel: 8801753841119; 880721 751512; E-mail: mannan.chem@ru.ac.bd

Md. Atiqur Rahman, Department of Applied Chemistry and Chemical Engineering, Islamic University, Bangladesh, Tel: 8807174900; E-mail: atiq@acct.iu.ac.bd

Received February 15, 2018; **Accepted** February 21, 2018; **Published** February 28, 2018

Citation: Islam MJ, Amin MR, Ahmed MF, Khatun S, Rahman ML, et al. (2018) Antimicrobial Activity of Essential Oils and Different Organic Extracts of . J Phytochemistry Biochem 2: 107.

Copyright: © 2018 Islam MJ, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

the Islamic University, campus, Kustia, Bangladesh in the period of
December. A typical image of the plant is shown in Figure 1. e plant

., b,, X. ca ., .

therapeutic alternative to treat various infections caused by pathogenic bacteria. The findings also support the traditional usage of the *L. a,ba* plants and suggests that some of the extracts possess compounds with high antibacterial properties. Therefore, new researches have been proposed in order to elucidate the possible action mechanisms involved and to find new bioactive compounds in *L. a,ba*

antifungal activity of
22: 701-703.

mill. leaf essential oil. J Med Aroma Plant Sci

10.