

## Knowledge and Awareness Regarding Chikungunya among Urban





Napa/Paracetamol	221	83.1
Pain killers	5	

5. Ross RW (1956) The Newala epidemic III: the virus: isolation, pathogenic properties and relationship to the epidemic. *J Hyg* 54: 177-191.
6. McSwegan E, Weaver SC, Lecuit M, Frieman M, Morrison TE, et al. (2015) The Global Virus Network: Challenging chikungunya. *Antiviral Res* 120: 147-152.
7. Lo Presti A, Ciccozzi M, Cella E, Lai A, Simonetti FR, et al. (2012) Origin, evolution, and phylogeography of recent epidemic CHIKV strains. *Infect Genet Evol* 12: 392-398.
8. Jupp PG, McIntosh BM (1988) In Monath TP (ed) *Chikungunya disease. The arboviruses: epidemiology and ecology*. Boca Raton (Florida): CRC Press 137-157.
9. Pialoux G, Gauzere BA, Jaureguierry S, Strobel M (2007) Chikungunya, an epidemic arbovirus. *Lancet Infect Dis* 7: 319-327.
10. Mavalankar D (2008) Increased mortality rate associated with chikungunya epidemic, Ahmedabad, India. *Emerg Infect Dis* 14: 412-415.
11. Ramachandran VG, Das S, Roy P, Hada V, Mogha NS (2010) Chikungunya: a reemerging infection spreading during 2010 dengue fever outbreak in National Capital Region of India. *Virusdisease* 27: 183-186.
12. Galate LB (2010) Chikungunya fever among patients with acute febrile