

Outcomes of Endolymphatic Shunt Surgery in Ménière's Disease Indicate

]a dUfa YblzUbX dfYg] fY]b'h hYYfg" A]bcf' X]ZfYbWgVlk Yb'h Y
Umj YUbX d'UWc' [fc i dg k YYZi bX&Vi h h Y[fYUighiX]ZfYbW]b
gna dIca g k Ug Zi bX k\Yb'h Y dfY! 'UbX dcg]cdYfUj Y gWfYg k YY
Wa dUFYXZ UbX Vch' [fc i dg]a dfcj YX g[b]ZWbhnn 5ddfcI ja UYm
+S 'cZh YdUjYblg]b Vch' [fc i dg UW]j YX 'g]b['ja dfcj Ya YblzUbX
bc g[b]ZWbhX]ZfYbWgVlk Yb'h Ylk c' [fc i dg k YYZi bXXi f]b[U

Ug[lbj Yg][UWXh YYZWg cZg Yf g]Yg'cb j UGWf'Z bWcb i gbl
Ub Ub]a U'a cXY'cZa YUv']WgbXfa Yfh YcVgYN Wf fU"

Citation: Z[^íRÉÍÚ^^\\4ííçG€FÍDíU~& [{ ^•í[-íÓ} á[|^ { } @æc&&íU@~ } cíU~! * ^í^íá} ÁT... } ì-! ^í•íÓ•^æ•^íÓ} áí&æc&íU[c~ } cíæíÓ[} cííá~ cí[} á[-íU@^æ&íU@~&•
Q} •c^æáí[-íÜ^í^çí} *íc@^íÓ} á[|^ { } @æc&&P^ä! [] •íUc[|æ!^ } * [| [* ^ííKíF€€FÍFéíXc]. 98(% X% 98% L" %SSS%]

DíY) 'cZ

& " Nci 'M; i Ub' Lž Nl i 'N; U' G NNub['7ž Yh U" fíSS%& CgYc[Yb]W '%" HU W] ?žG ri _] 'A žA]ri bc' 5ž< UfU5 fíSS L< Yf]b['ja dUfa Ybh]b XíZfYbh]cb' cZ VcbY a Uffck! Xfj YX a YgbWna U' gfcu U' W'g cb VcbY Xfj YX gWZc Xg' YZZMl cZ a JMcj JfU]cb' UbX fc' Y cZ 9F? %& UMa] U]cb' 9i f' 7Y~ A UHf && %& &
' S" ?i a U]a]< žHMU Uc' A žG]bcc M6MU5ž: i Jnha U8ž Yh U" fíSS L 9l dfYgcb' cZh Ycgj cl]W mYgcbgj YW]cb]WWUbbY HFDJ (]b'h Y YbXc na d\UhVgW5i Xjc' B Y fcch" %. % \$!% +"