

Parent-Child Relationships in Children presenting with Somatic complaints: A Comparative Study

Priti Singh, Pratibha Gehlawat*, Balkishan Sharma, Virender Kumar Gehlawat and Rajiv Gupta

Department of Psychiatry, PGIMS, Rohtak, Haryana, India

*Corresponding author: Pratibha Gehlawat, Department of Psychiatry, PGIMS, Rohtak, Haryana India, Tel: 09671615649; E-mail: hunt4prat_01@redifmail.com

Received date: Nov 20, 2014, Accepted date: Jan 11, 2015, Published date: Jan 19, 2015

Copyright: © 2015 Singh P et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Introduction: Somatization account for disproportionately large number of visit to physicians and out-patient clinic. Many of the psychological problems present with pure somatic symptoms. The long term impact of Somatization is poor and results in compromised outcome in various areas. Children with faulty parent-child relationship are more prone to develop psychological problems and Somatization. Therefore, the present study was relationshmore pros. Thfecmohillbá

Pediatrics OPD with psychological and emotional problems were

Acceptance	23.33	±	28.66	±	2.4	0.019*
	9.58		5.07			

Child-centeredness

avoidant attachment styles in relating to their mothers were at higher

symptomatology in a nonclinical sample. *Development and Psychopathology* 9, 855-879

28. Naz F and Kausar R (2012). Parental rejection and comorbid disorders in adolescents with somatisation