Advances in Crop Science and Technology

Singh and Sharma, Adv Crop Sci Tech 2016, 4:2
DOI: 10.4172/2329-8863.1000213

***Corresponding author:** Archana U Singh, Division of Nematology, IARI, New Delhi-12, India, E-mail: arch_212@yahoo.com

Received January 22, 2016; **Accepted** March 03, 2016; **Published** March 09, 2016

Citation: Singh AU, Sharma K (2016) Pests of Mushroom. Adv Crop Sci Tech 4: 213. doi:10.4172/2329-8863.1000213

Copyright: © 2016 Singh AU, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Citation: Singh AU, Sharma K (2016) Pests of Mushroom. Adv Crop Sci Tech 4: 213. doi:10.4172/2329-8863.1000213

- Floor used for the preparation of compost should be cemented, to avoid the direct contact of compost with infested soil.
- Maintain cleanliness inside, outside and surroundings of the production unit. Composting yard must be washed thoroughly with some disinfectant (5% formalin, hot water, etc.) a er every stacking.
- Composting platform should be away from the cropping rooms.
- Workers and visitors should be asked to disinfest their feet by dipping them in the disinfectant prepared with 5% formalin. Workers should frequently disinfect their hands and clothes.
- e area for mushroom cultivation should be such that it is free from e uent of chemical industries and air is free from toxic fumes and gases.
- Ready to use compost should have about 70% moisture and pH 7-7.2.
- Pasteurization should be proper as over/under pasteurization may invite many pest problems.
- Spawn should be fresh and free from all contaminants and all equipments/imp (y t)6 5s(.61 607.1607 Tm[(W)97 (o4 (emit(p (y t55f9 0 0 9 56.6s)5 8 (b)-8.e w(e a)3 (s)6 (h)4 (e)-5 ts a)9 (n)4 (

C c

e demand of growing mushroom is increasing day by day, with an increasing awareness of people regarding its palatability and high food value. e use of pesticides for nematode kill in mushroom crop is not advisable due to residual hazards as mushroom is a short duration crop. ere is a need to exploit the use of some plant products which have nematicidal properties and at the same time are safe for mushroom mycelium. Mushroom growing is a young progressive industry all over the world today.

References

1. Aihara T (2001) Iotonchium ungulatum n. sp. (Nematoda: Iotonchiidae) from the oyster mushroom in Japan. Japanese J Nematol 31: 1-11.
2. Kulkarni SM, Sangita D (2000) Cultivation of Hohenbuehelia atrocaerulea (Fr.) Sing. (Agaricomycetideae): a mushroom with nematicidal potential. International J Medicinal Mushrooms 2: 161-163.
3. Tsuda K, Futai K (2000) The insect-parasitic stage and life cycle of Iotonchium ungulatum (Tylenchida: Iotonchiidae), the causal agent of gill-knot disease of the oyster mushroom. Japanese J Nematol 30: 1-7.
4. Gitanjali P, Nandal SN (2001) Effect of neem products and dazomet for the management of Aphelenchoides composticola on white button mushroom (Agaricus bisporus) under semi-commercial conditions. Indian J Nematol 31: 52-57.
5. Ostrec L (1997) Nematode pests of mushrooms in Croatia. Agriculturae Conspectus Scientifcus 62: 281-284.
6. Rajesh V, Bajaj HK, Mann SS (2003) Integrated management of Aphelenchoides composticola in button mushroom with neem seed kernel water extract and Achook.
7. Gitanjali, Nandal SN (2001) Nematodes associated with white button mushroom (Agaricus bisporus) in Sonipat district of Haryana. Indian J Nematol 31: 95-96.
8. Aman S, Ravinder C, Vikrant S (2002) Some common nematodes of mushroom and their management. Annals Agri BioResearch 7: 51-52.
9. Gitanjali G, Thakur NSA (2007) Association of nematodes in edible mushrooms in Meghalaya. Indian J Nematol 37: 91-92.
10. Jin QL, Cai W, Feng WL, Shi LC, Li FY (2006) Nematode species associated with the button mushroom in Zhejiang province. Acta Agriculturae Zhejiangensis 18: 195-197.
11. Gitanjali G, Nandal SN (2001) Sources of mycophagous nematode infestation in mushroom houses. Annals of Plant Protection Sciences 9: 164-166.
12. Manrao MR, Kaul VK (1999) Preliminary screening of 2-hydroxy-1-naphthalanilines and their derivatives against Ditylenchus myceliophagus. Plant-Disease-Research 14: 55-57.
13. Reddy PP, Rao MS, Tewari RP, Nagesh M (1999) Evaluation of oil cakes