



*[Faint, illegible text, possibly bleed-through from the reverse side of the page]*

Sands	64.2	28.2	61.0	57.8	45.7	12.7
Sands & Clay	05.1	53.9	25.4	24.9	36.2	27.9
Sandy Loams	20.7	12.0	27.9	35.1	35.4	38.2
Clay Loams	02.3	28.7	12.4	32.0	12.9	50.6
CaCO <sub>3</sub>						
27.9						
-65223-0.028 -1.2 pH						
27.9						
-66028d(KS)Tj10.2Organic carbonams						
KS27.9						
27.9						
-660262(KS)Tj10.2PhospTduamskg/ha						
1535.4						
27.9						
27.9						
-6603908(KS)Tj10.2Potagroum amskg/ha						

KS

135.4

35.4

KS27.9

35.4

27.9

35.4

1535.4

27.972622 -1. VS12 -1.Table 1:

... (1. ... / ...), ... (.10 ... -1) ... ( ... ), ... ( ... / ...), ... ( ... / ...), ... (1. ... -1) ... ( ... ), ... **A** ... ( ... )

... (1%), ... ( ... / ...), ... (.1 ... / ...), ... ( ... / ...), ... ( ... %), ... (.1 ... / ...), ... ( ... / ...)

... (11. ... ), ... (1. ... ),

*[Faint, illegible text, likely bleed-through from the reverse side of the page]*

This study was supported in part by grants from Tamil Nadu State Council for Science and Technology, Chennai-600025, Tamil Nadu (Project ref. No. TNSCST/S and T Projects/VR/ES/2013-2014/468 dated 16.04.2014)appearance