Open Access

Preventing and Treating Women's Health Issues From Endometriosis to Polycystic Ovary Syndrome (PCOS)

Herbert Rayan*

The University of Edinburgh, Centre for Reproductive Health, UK

Abstract

 $\label{eq:worker_wave_constraints} Women's health issues such as endometriosis and polycystic ovary syndrome (PCOS) are prevalent and often && `^ \in i^*\iangle \alpha \alpha$

5-N[ç-2024, Mæ} *•&¦á]c N[: [{ @æ-24-154294 (R), 10.4172/2329-6879.1000557

ç^}ai} * æ}å V¦^æai} * Y [{ ^}'• H^æ|c@ I•• *^• F¦ [{

Citation: Herbert R (2024) Preventing and Treating Women's Health Issues From Endometriosis to Polycystic Ovary Syndrome (PCOS). The Worldwide Perspective. Occup Med Health 12: 557.

| 1801 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180

References

- 1. J[{^:æå^@ N, Bæàæ { [!æåi Ù, Kæ|æ}cæ! E, Jæçæ@^!i:æå^@ H (2014) I•[[æii]} and antibiotic susceptibility of Shigella species from stool samplesamong @[•]iæ|i:^å &@ijå!^} i} Aàæåæ}, I!æ}. Gæ•c! [^}c^![| H^]æc[| B^å B^}&@ 7: 218.
- Ûæ}*^^0@æ A, Pælilæ ÙC, Mæ}åæ| J, Kliè®}æ{`lo®^ Ù (2014) Clinical and {i&l[ài[[*i&æ]]![,|^• [-•@i*^|[•i•i} &@i|â!^}. J H^ælo® P[] ັ| N cl 32: 580.
- Ræ}tàæ¦ R, Dæ||æ| MMÙ, Væ|^ài M, P[`i•@æ,^ MR (2008) I}&¦^æ•^å i•[|æú[}
 æ}å &@æ!æ&c^\i:æú[} [- Ù@i*^||æ•[}}^i [àcæi}^å -¦[{ @[•]icæ|i:^å &@i|å|^} i}
 V^@|æ}, Ilæ}. J H^æ|c@ P[]`| N`c! 26: 426.
- 4. Z@æ}* J, Ji} H, Hˇ J, Ÿˇæ} Z, Ù@i Y, ^cæ|. (2014) Antimicrobial resistance of Ù@i*^||æ•]].-[[@ˇ {æ}• i} Ù@æ}*@æi, C@i}æ, 2004-2011. Diæ*} Mi&¦[ài[| I}-^&c Di• 78: 282-286.
- 5. P[ˈlæ\àælā B, Mæ { ā•@ā Ù, Mæ•@[[lā N, Mæ@à[[àā N, A•@dæ}ā MH, ^c æ]. (2010)

- 6. I¸æ { [ɒ[M, A^^\• V, Mæ@ [} BE, Ù ¸ ^\å| [¸ DL (2010) E]åå^ { å [| [*^ [-•^æ-[[å-associated infections in the United States. C|å} Må&\ [åå[| R^ç 23: 399-411.
- 7. X[}-Ù^iá|^i} L, Ki { DR, A|i B@accœ&@al^a D, B@accœ&@al^a H, V@a {i: @ {æ}i R, ^cæ|. (2014) Ù@i*^||[•i• i} Bæ^ [- B^}*æ| I•|æ}å•, I}åiæ: C|i}i&æ| æ}å •^æ•[}æ| patterns, surveillance of antibiotic susceptibility patterns, and molecular &@æ|æ&c^ia:æci[} [- { `|cåi|^*-!^•i•cæ}c Ù@i*^||æ•c!æi}•i•[|æc^â å `|ii}* æ 6-^^æ|]^iá[å-![{ 2006 c[2011. E`| J C|i} Mi&![ài[| I}-^&c Di•; 33: 157-170.
- 8. Bæ&@æ}å N, Ræç^| A, O}æ}*æ R, A¦•^}æ*|c J, G[}:æ|^: JP (2012) Public health •å*}å,&æ}&^ [- :[[}[ċi& àæ&c^\iæ|]æc@[*^}• --|[{ à*•@{^æc•[|å-i} *iàæ} {æ¦\^c•[- Gæà[}, C^}ciæ| A-iå&æ. J Yi|å| Då• 48: 785-789.
- Úæ^^å A, Aàå H, Eåçi}••[] B, Ùæ}å•cl4 { G (2009) Acanthamoeba castellanii an environmental host for Shigella dysenteriae and Shigella sonnei. Al&® Mi&l[ài[] 191: 83-88.
- 10. M L^^ HH, Yæ}* Ý (2006) A { "|ci&^}c\^ •c*å^ [- Ù@i*^||æ åiæi|!@[^æ i} •i¢ A•iæ} &[`}cii^•: Di•^æ•^ à`iå^}, &|i}i&æ| { æ}i-^•cæci[}•, æ}å {i&![ài[|[*^. PL[Ù M^å 3: ^353.