



Promising Hair Transplantation Solutions for Infants and Children with Troublesome Hair Conditions

Department of Experimental and Clinical Medicine, University of Florence, Italy

to help your child cope effectively [8].

hair-related issues such as alopecia areata, trichotillomania, tangled or unruly hair, dry or frizzy hair, and lice infestations that require attention. Supporting these children involves a multifaceted approach. Seeking professional advice from healthcare providers, including pediatricians, dermatologists, or trichologists, can lead to accurate diagnoses and appropriate treatment options. Emotional support and creating a nurturing environment are essential, allowing children to express their feelings and providing reassurance and understanding. Educating oneself and others about the specific hair condition can combat stigma and misconceptions. Adapting hairstyling practices, using suitable hair care products, and considering protective hairstyles can help manage tangled, unruly, dry, or frizzy hair. Behavioral interventions, counseling, and developing coping mechanisms are beneficial for conditions like trichotillomania. Preventive measures, such as promoting good hygiene practices and promptly addressing lice infestations, are crucial for maintaining a healthy scalp and hair. Embracing the uniqueness of each child's hair condition and promoting self-acceptance are fundamental to fostering a positive self-image.

Academy of Dermatology

None

Clinical Dermatology

None

1. Geremia A, Biancheri P, Allan P, Corazza GR, Sabatino A (2014) Innate and adaptive immunity in inflammatory bowel disease. *Autoimmune* 13: 3–10.

2. Musto P, Simeon V, Todoerti K, Neri A (2016) Primary Plasma Cell Leukemia: Identity Card 2016. *Curr Treat Options Oncol* 17(4):19-25.

3. Pedroza-González SC, Rodríguez-Salvador M, Pérez-Benítez BE, Alvarez MM, Santiago GT (2021) Bioprinting for 3D Bioprinting: A Scientometric Analysis of Two Decades of Progress *Int J Bioprint* 7(2):3-33.

4. Kohler H, Pashov AD, Kieber-Emmons T (2019) Commentary: Immunology's Coming of Age. *Front Immunol* 10:21-75.

5. Johansson ME, Stovall H, Hansson GC (2013) The gastrointestinal mucus system in health and disease. *Nat Rev Gastroenterol Hepatol* 10: 352–361.

6. Johansson ME, Gustafsson JK, Holmen-Larsson J, Jabbar KS, Xia L, et al. (2014) Bacteria penetrate the normally impenetrable inner colon mucus layer in both murine colitis models and patients with ulcerative colitis. *Gastroenterology* 146: 281–291.

7. Schwerbrock NM, Makkink MK, Buller HA, Einerhand AW, Sartor RB et al. (2004) Mucosal barrier function before and after induction of colitis by commensal bacteria. *Gastroenterology* 127: 811–823.

8. Gupta S, Fenves AZ, Hootkins R (2016) The Role of RRT in Hyperammonemic Patients. *Clin J Am Soc Nephrol* 11:1872-1878.

9. Petersdorf EW (2017) In celebration of Ruggero Ceppellini: HLA in transplantation. *HLA* 89:71-76.

10. Shankar S, Singh G, Srivastava RK (2007) Chemoprevention by resveratrol: molecular mechanisms and therapeutic potential. *Front Biosci* 12: 4839–4854.

11. Nakamura M, Saito H, Ikeda M (2010) Resveratrol enhanced replication of hepatitis C virus. *World J Gastroenterol* 16:184– 192.

12. Yiu CY, Chen SY, Chang LK, Chiu YF, Lin TP (2010) Resveratrol on the Epstein-Barr virus lytic cycle. *Molecules* 15:7115–7124.

13. Chen X, Qiao H, Liu T (2012) Inhibition of herpes simplex virus infection by oligomeric stilbenoids through ROS generation. *Antivir Res* 95: 30–36.