



# Recruitment and Retention of Healthy Women with Obesity for a Psychophysiological Study before and After Weight Loss: Insights, Challenges, and Suggestions

Dharini M. Bhammar<sup>1</sup>, Vipa Bernhardt<sup>2</sup>, Jonathon L. Stickford<sup>3</sup>, Charles Miller III<sup>4</sup>, Tony G. Babb<sup>\*5</sup>

<sup>1</sup>Department of Kinesiology and Nutrition Sciences, School of Integrated Health Sciences, University of Nevada, USA

<sup>2</sup>Department of Health and Human Performance, Texas A&M University-Commerce, USA

<sup>3</sup>Exercise and Respiratory Physiology Laboratory, Department of Health and Exercise Science, Appalachian State University, USA

<sup>4</sup>Department of CV Surgery, University of Texas Health Sciences Center, USA

<sup>5</sup>Institute for Exercise and Environmental Medicine, Texas Health Presbyterian Hospital Dallas and UT Southwestern Medical Center, USA

---

**\*Corresponding author:** Tony G. Babb, Institute for Exercise and Environmental Medicine, Texas Health Presbyterian Hospital Dallas and UT Southwestern Medical Center, USA, Tel: (214)345-4622; Fax: (214)345-4618; E-mail: [TonyBabb@texashealth.org](mailto:TonyBabb@texashealth.org)

**Received** January 09, 2021; **Accepted** February 22, 2021; **Published** February 28, 2021

**Citation:** Bhammar DM, Bernhardt V, Stickford JL, Charles Miller III, et al. (2021) Recruitment and Retention of Healthy Women with Obesity for a Psychophysiological Study before and After Weight Loss: Insights, Challenges, and Suggestions. *J Obes Weight Loss Ther* 11: 428.

**Copyright:** © 2021 Bhammar DM, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



2010 2012, 4.4






## Discussion

... [1]. A ...  
... A ...  
... B ...  
... [1,3,12] ...  
... a ...  
... priori ...  
... (= 3) ...


**Citation:** Bhammar DM, Bernhardt V, Stickford JL, Charles Miller III, et al. (2021) Recruitment and Retention of Healthy Women with Obesity for a Psychophysiological Study before and After Weight Loss: Insights, Challenges, and Suggestions. *J Obes Weight Loss Ther* 11: 428.

---





## Conclusion



## Conflict of interest

All authors have no conflicts of interest to disclose.

## Author Contributions

Conceptualization, TGB; methodology, TGB, VB, DMB, CM; validation, VB, DMB; formal analysis, CM, VB, TGB; investigation, TGB, VB; data curation, VB, DMB; writing-original draft preparation, TGB; writing-review and editing, DMB, VB, CM; visualization, VB, DMB; project administration, TGB; supervision, TGB; funding acquisition, TGB. All authors have read and agreed to the published version of the manuscript.

## Funding sources

NIH HL096782, King Charitable Foundation Trust, Cain Foundation, and Texas Health Presbyterian Hospital Dallas. The sponsors had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; and preparation, review, or approval of the manuscript.

## Acknowledgements

The authors thank Raksa Moran, J. Todd Bassett, Santiago Lorenzo, Jessica Alcalá, Joseph Genovese, Sarah Haller-Martineau, and Matthew Spencer for their assistance in various stages of this project, and the staff members of the Texas Health Finley Ewing Cardiovascular & Fitness Center Dallas and Susan Rodder for their assistance in implementing the diet and exercise program.

## References

1. Page SJ, Persch AC (2013) Recruitment, retention, and blinding in clinical trials. *Am J Occup Ther* 67: 154-161.
2. Group TS, Zeitler P, Hirst K, Pyle L, Linder B, et al. (2012) A clinical trial to maintain glycemic control in youth with type 2 diabetes. *N Engl J Med* 366: 2247-2256.

3. Tramm R, Daws K, Schadewaldt V (2013) Clinical trial recruitment--a complex intervention. *J Clin Nurs* 22: 2436-2443.
4. Leonard NR, Lester P, Rotheram-Borus MJ, Mattes K, Gwadz M, et al. (2003) Successful recruitment and retention of participants in longitudinal behavioral research. *AIDS Educ Prev* 15: 269-281.
5. Patel MX, Doku V, Tennakoon L (2003) Challenges in recruitment of research participants. *Advances in Psychiatric Treatment* 9: 229-238.
6. Moroshko I, Brennan L, O'Brien P (2011) Predictors of dropout in weight loss interventions: A systematic review of the literature. *Obes Rev* 12: 912-934.
7. Pirotta S, Joham A, Hochberg L, Moran K, Lim S, et al. (2019) Strategies to reduce attrition in weight loss interventions: A systematic review and meta analysis. *Obes Rev* 20: 1400-1412.
8. Bhammar DM, Stickford JL, Bernhardt V, Babb TG (2016) Effect of weight loss on operational lung volumes and oxygen cost of breathing in obese women. *Int J Obes* 40: 998-1004.
9. Bernhardt V, Babb TG (2014) Weight loss reduces dyspnea on exertion in obese women. *Respir Physiol Neurobiol* 204: 86-92.
- 10.