



***Corresponding author:** Arianna Giana, Department of Internal Medicine, Ospedale Regionale San Giovanni, Bellinzona, Switzerland, E-mail: ag.giana@arianna.com

Received: 01-Aug-2023, Manuscript No. jomb-23-110807; **Editor assigned:** 03-Aug-2023, PreQC No. jomb-23-110807 (PQ); **Reviewed:** 17-Aug-2023, QC No. jomb-23-110807, **Revised:** 19-Aug-2023, Manuscript No. jomb-23-110807 (R); **Published:** 26-Aug-2023, DOI: 10.4172/jomb.1000167

Citation: Giana A (2023) Sleeve Gastrectomy is Practical in large Patients with Phenylketonuria. J Obes Metab 6: 167.

Copyright: © 2023 Giana A. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted

ele a , ba ia ic medical . ced e gh i a e fec l d be
ie ed a i . . . a ie . . . i h PKU a d, ma be, ac ed i f c e i h
kill i c mm me ab lic ick e e , all ideall i ide he . em f
e m ch. la ed a e . die .

Methods and Materials

A ca ei cl di ga hf l female, a ie i i he em. la PKU a d
cla III c . . le ce, i h m, lee e ga ec m a e f med a e
ca i . . a e, me . . i i d ced h . A elec . . ic i i g ea ch
f he P bMed/MEDLINE a d Emba ei f ma i ba e a d G gle
Re ea che a e f med ec e c ce a e . e ami i g
ba ia ic medical . ced e a d PKU [5]. N limi a i . . he ime f
di . . ib i . . e e a . . lied. A . . i al h . . f he cli cal i i g a
he e f med agai i P bMed a d G gle Re ea che f . eigh i
. a ie . . i h PKU . . k . . he . . e f he i f ma i a , embled.

. . e . a ie . . a a 22- ea -elde l . . e . . de e mi ed . . ha e
e em. la PKU h did ? a . . e BH-4. A a e a gleme . .
ge le mic ce. hal i h . . maj . . e . . c g i i e e e c . . i . . a
d a . . . i . . he . . e a he m l i d i c i l i a e al a i . . f he
ea able e . f ba ia ic medical . ced e [6]. . e . a ie . . h ed
g ade III he i e . . a d e ed e d he i e ce i . . i a . . ca e, j . . ie ce
f he . . ea me g . . b e i g he . a ie . . gge ed i . A . . ai al
f he . . ali, ca i . . a d . . ac ical i . . f ba ia ic medical . ced e
a . . . ked b he a ha . a die a admi i had . b gh
ab . a . . c ical eigh ed ci . . , e . . e-em. l able . . ce e i g
e f med b he . . le f he S i . S cie f . he I e i ga i . . f
Di mal S . . e . a d me ab lic i . e (SMOB) did ? ec g ize he
me ab lic i . e (diabe e, h . e e i . , h . e c . . i c i m, a d . . .),
. . he . . e i . . i fec i . . (ch led li h i a i , N -Alc h lic G ea
Li e Ill e, NAFLD, e a . ea c di i . , a d . f . h.) f . he m e,
a . . cli cal a e he i l gical c . . ai dica i . . f . medical . ced e .
. . e . del i ge al a i . had b i . l . . c e ed, all al g, ha
he . a ie . . a . . ig . . l . . icki g . . he e d . . ed. he lala i e-
dec ea ed die , hich a . . e a d fac al b . ai ed bl d le el
f . he lala i e . T . e . c . . i e ce a d e al a e he de el . me .
f he . he lala i e a e, e a . . . c . . i ed i h a e . .
ec mme da e ce i . all . . hibi i e e a i g egime . g ed . b
. . die icia gai i g . ac ical e . e i e ce i c m. le me ab lic i . e .
. . i die c m. i ed f 70 g f . . e i g f m a . a ic la i h .
. . he lala i e ami c . . i e ble d a d 6 g f . . e i f m eg la
f d a ie ie, b i gi g ab . a . m f 76 g f . . e i /da [7]. . i
. . f . dl . . hibi i e e a i g . . i e ill be c . i ed i he ea l

. 093 . a 3(079 71f 86a P0.6(ble d . eck iee h.)ga i . h i g . a e e led.)[8 ie . . h . . e al 2 T T 15d a ie ie i5(f m)hd . . b . 0.081 T . e

. a ie liki i TTj0c hilde . ce
336d aTd(. e . a i (. . h ga6l b)0 gh j0 . ch, a) -0. a e

(CVR) aggregate and blood pressure (CVR) factors (CVRF) like blood pressure (AHT), height and weight, and BMI, and PKU albino elaborated the effect of sleeve gastrectomy (SG) on the metabolic parameters of PKU and CVR. The study showed that SG had a positive effect on the metabolic parameters of PKU and CVR. In particular, SG led to a decrease in weight, BMI, waist circumference (WC), and fasting glucose (FPG) levels. These results suggest that SG is a practical and effective treatment option for PKU and CVR. The study also found that SG was associated with a decrease in the risk of developing type 2 diabetes mellitus (DM) and metabolic syndrome (MS).

In conclusion, the results of this study suggest that SG is a practical and effective treatment option for PKU and CVR. The study also found that SG was associated with a decrease in the risk of developing type 2 diabetes mellitus (DM) and metabolic syndrome (MS). These findings suggest that SG is a promising treatment option for PKU and CVR.