Radouani MA^{1,2}, Gouchi H¹, Mrabet M^{2,3}, Elhassani A⁴, Bentahila N⁵, Aguenaou H⁶ and Barkat A^{1,2*}

Received date: June 16, 2015;

¹Department of Medicine and Neonatal Resuscitation, National Reference Center for Neonatology and Nutrition, Morocco

²Research Team on Health and Nutrition of Mother and Child, Faculty of Medicine and Pharmacy of Rabat, Mohammed V University of Rabat, Morocco

³Department of Public Health, Faculty of Medicine, University Mohammed V of Rabat, Morocco

⁴Abulcassiss University, Rabat, Morocco

⁵Moroccan Association of Infant Nutrition, Morocco

⁶ Mixed Research Unit in Nutrition and Food URAC 39, (Ibn Tofail University-CNESTEN), Designated Regional Center of Nutrition Partner of AFRA/IAEA, Morocco

^{*}Corresponding author: Amina Barkat, Medicine and Neonatal Resuscitation, National Reference Center for Neonatology and Nutrition Rabat Children's Hospital, Ibn Sina hospital, Ibn Roshd bd, 10100 Souissi, Rabat, Morocco, Tel: +212-661-385-108; E-mail: LKKKK K

Materials and Methods K

Followed pregnancy

Yes	152(76%)	148(74%)
No	48(24%)	52(26%)
Wanted pregnancy		
Yes	193(96.5%)	190
No	7(3.5%)	10
Parity		
P1	100(50%)	124(62%)
=-P1 P3	74(37%)	56(28%)
->P3	26(13%)	20(10%)
Delivery		
Vaginally	163(81.5%)	184(92%)
Caesarian	37(18.5%)	16(8%)
Experience of breastfeeding		
Yes	84(42%)	70(35)
No	116(58%)	130(65)

No	11(5.5%)	22(11%)		
Exclusive BF	163(81.5%)	69(34.5)		
Others liquids				
None	163(81.5%)	69(34.5%)		
Artificial milk	20(10%)	54(27%)	0	
Verbena	25(12.5%)	94(47%)		
At 3 months				
Breastfeeding				
Yes	178(89%)	148(74%)	0	
No	22(11%)	52(26%)		
Exclusive BF	165(82.5)	65(32.5)		
Other liquids				
None	165(82.5%)	65 (32.5%)		
Artificial milk	32(16%)	91(45.5%)	0	
Verbena	7(3.5%)	33(16.5%)		
Water		35(8.8%)		
At 6 months				
Breastfeeding				
Yes	158(79%)	117(58.5)	0	
No	42(21%)	83(41.5)		
Exclusive BF	117(58.5%)	38(19%)		
Other liquid				
None	117(58.5%)	38(19%)		
Artificial milk	72(36%)	126(63%)	0	
Verbena	0	0		
Water	15(7.5%)	51(25.5%)		

K