



The Anesthetic Management of a Patient on VA ECMO Undergoing a Hemicolectomy

Jeanne KY and Wendy K. Bernstein*

Department of Anesthesiology, University of Maryland Medical Center, Baltimore, Maryland, USA

Introduction

Venous-arterial extracorporeal membrane oxygenation (VA ECMO) is used to provide systemic perfusion in patients with severe cardiac and/or respiratory failure [1-3]. VA ECMO is used to provide systemic perfusion in patients with severe cardiac and/or respiratory failure. ECMO is a bridge to surgery.

Citation: Jeanne KY, Bernstein WK (2016) The Anesthetic Management of a Patient on VA ECMO Undergoing a Hemicolectomy. *Cardiovasc Ther* 1: 114.

e. e. ea e. a 65 e. H. d be ade a e.
a a e f. e. e. A e. e c a e a ce. ac e ed
a a e. a e., c d. eda e., c, a a e c,
a d. ce ea a. Ce. a e. e. e (CVP) ca
be. ed a a e d. ce ECMO a e ca a ec e ac
ea e e. I add., f a a ed f e a
a e ca e e. a. e abe. ce. e e. a b d
e. e. e. ECMO. Ne e. -ba ed e d a c
de ce a be e be e ca a da e c e. be
