

# The First Genetic Map and Positions of Major Fruit Trait Loci of Bitter Melon (*Momordica charantia*)

Chittaranjan Kole<sup>1\*</sup>, Bode A. Olukolu<sup>2</sup>, Phullara Kole<sup>1</sup>, Virendra K. Rao<sup>3</sup>, Anju Bajpai<sup>4</sup>, S. Backiyarani<sup>5</sup>, Jogendra Singh<sup>6</sup>, R. Elanchezhian<sup>7</sup> and Albert G. Abbott<sup>1</sup>

*D. a. . . . G. . . . B. . . . J. . . a. Ha. C . . . U. . . . C . . . USA*

## Abstract

Cndgkv"gzvypukxg"ewnvkxcvkqp"qh"dkvgt"o gnqp"dqvj"cu"xg igvcdng"cpf" medicine in many countries of Asia, Africa, and South America, pq"ugtkqwu" g qtvu" jcxg" dggp" ocfg"hqt" igpgvke" cpf" dtggfkpi" uvwfkgu"qp"vjku" :qtrjcpø"etqr0"kp"eqpvtcu"vq" rqrwnct"ewewtdkvu." kv"ncemu" c" igpgvke"nkpmc ig" o cr"cu"tgswtgf"hqt" igpq oke" fgrkevqp" and precise breeding. We report here on the construction of vjg"Łtuv" igpgvke"nkpmc ig" o cr"qh"dkvgt" o gnqp"wukpi" c"ugv"qh"368" H4" rtqigpkgu" fgtxgf" htqo" cp" kpvgt/dqvcpkcn" xctkv{" etquu" dgvyggp" Vkycp" Yjkg." Oqoqtfkcc" ejctcpvk" xct0" ejctcpvk." cpf" EDO34." O0"ejctcpvk" xct0" owtkevc0" Vjku" o cr" eqpukuvu" qh' 32: "CHNR" o ctmgtu"cpf"Łxg"swcnkvcvkxg"vtckv"nqek"fkurgtugf"qxgt" 33"nkpmc ig" itqwrurcppki" c"vqvcn"fkuvcepg"qh"528209"eO0"Vjg"

xg"/

rgr

gr gf" v8

v8

Vjg"