

Commentary Open Access

on Chinese Traditional Medicine Science. J Tradit Med Clin Natur 6: 172/2573-4555.1000244

2017 Yu MY. This is an open-access article distributed under the Creative Commons Attribution License, which permits unrestricted on, and reproduction in any medium, provided the original author and Patients suffered from various of diseases or symptoms, redited ncluding physical and psychological distress, such as fatigue,

Including physical and psychological distress, such as fatigue, anxiety, depression, and pain, through the progression of the disease. Those psychological and physiological impairments lower their quality of life. The current trend that not only from pharmacological interventions but a more comprehensive approach to ease up symptoms and improving quality of life [1]. Psychobehavioral interventions (PBIs) developed to help and cope with the daily life of patients. The healthy body maintains a steady state of energy influx and expenditure needs to be able to fight against the invasion of microorganisms, and foreign substances rely on a series of dynamic biochemical reactions.

PBIs consists of psychosocial, behavioral and physical therapeutic methods, PBIs include a series of non-pharmacological approaches, mainly utilizing stress management, cognitive-behavioral therapy, and physical training. e early focus of PBIs aims at improving mental health [2] but has extended to relieve adverse side e ects of cancer chemotherapy through relaxation, hypnosis, and distraction pathway [3-5]. With greater acceptance of PBIs in the medical community during the past decade become a very promising approach for quality improvement in cancer patients [6-9].

Life Influence Factors of TCM

A study noted that changes in lifestyle require participants to establish a comprehensive approach toward their cancer therapy. Changes in behavior include (1) a healthy diet; (2) movement; (3) use

body's immune system and accelerates the progression of the disease. Finally, while genetics play a role in the acquisition of cancer, the most prominent cause is a lifestyle, especially exercises and diet.

Dietary Factors of TCMs

Researchers found that signi cant levels of phenolics, avonoids and trace metal contents in TCM herbal or food correlated well with antioxidant and anti-in ammatory activities. Some of the plants displayed high antioxidant and anti-in ammatory activities but contained low levels of phenolics and avonoids. Interestingly, these plants contained signi cant levels of trace metals which are likely to be responsible for their activities [8].

Many natural products and their derivatives have been reported to have cancer chemopreventive e ects *in vitro* and *in vivo*. Majority of these compounds also possess anti-oxidation and anti-in ammatory properties. On the other hand, several clinically used anti-in ammatory drugs like tumor necrosis factors (TNF) blockers have been associated with some reported cases of lymphoma and other cancers in children and young adults. ese con icting reports are because the immune system is an integral part of the body's defense mechanism against cancer cells as well as pathogenic microorganisms. When the immune system is overwhelmed by anti-in ammatory drugs over an extended period, cancer cells can continue to grow. erefore, the key to prevent cancer and have a good quality of life without debilitating diseases is to maintain a dynamic balance between anti-in ammatory and pro-in ammatory factors [2].

In this review, we have presented representative groups of plants and food with longevity-promoting potential. For example, chocolate and red wine have attracted a lot of attention lately. Chocolate with antioxidant avonols has been reported to decrease blood pressure, LDL and cholesterol, increase insulin sensitivity and B cell function, and may even prevent heart disease. However, due to its sugar content in most commercial products, over consumption may contribute to obesity and diabetes. Resveratrol from red wine has been reported to have antioxidant and many bene cial e ects in experimental models. Again over the use of either red wine or the phenolic resveratrol preparations may have signi cant side e ects like alcoholism and redox imbalance, respectively. erefore, the key to longevity and high quality of life is to maintain a delicate balance through healthy life style and proper intake of a wide variety of health food [8].

TCM dietary supplement (DS) assessed by research, entered into the meta-analysis. In this trial, 43 advanced ovarian cancer patients were assigned to receive chemotherapy plus two years of TCM DS and compared to patients given only chemotherapy. Quality of life was signi cantly improved in patients who underwent TCM DS compared with the pure chemotherapy group. e former group also displayed a signi cant increase in CD4+ lymphocytes and NK activity with a reduction in the number of CD8+ cells [7].

PBIs of TCM

Acupuncture

e result of eleven high-quality clinical trials with 968 cancer patients evaluated acupuncture and entered the meta-analysis showed that acupuncture improved the overall quality of life in cancer patients as assessed by the KPS remission rate scale. In particular, acupuncture relieved fatigue reduced diarrhea and shortened the time to rst atulence despite failing to relieve symptoms of depression [4].

Therapeutic Chinese Massage

e e ect of Chinese massage of quality of life was assessed in 4 trials of 595 patients included. Chinese massage reduced time to rst atulence and intestinal peristaltic sound following surgery [4].

Tai chi

Researchers reported that a positive association between Tai Chi and quality of life in cancer patients. Indeed, in one study that scored four according to the Jadad Scale, 67 patients were assigned to receive a 6-month intervention of Tai Chi as compared to a control group. Patients who underwent Tai Chi had less postoperative upper limb lymphedema, Tai Chi increased circulating concentrations of IgA, IgG and IgM and improved lung function, sleep quality and limb muscle strength in cancer patients. Tai Chi also alleviated fatigue and reduced distress [4].

Qigong

ere are limited clinical trials with Qigong; one is high-quality research in the meta-analysis. is clinical trial showed that the practice of Qigong in women with breast cancer resulted in less fatigue and improved quality of life as compared to the control group, but no signi cant di erences were observed for sleep quality.

Discussion

TCMs originated and are mostly practiced in China, various growing acceptance of PBIs spread globally. Many TCM trials have reported on di erent aspects. e quality of life measurements includes pain, depression, insomnia, fatigue, diarrhea and intestinal dysfunction, relieved by TCM PBIs. Acupuncture, the common form of TCM PBIs, improved quality of life *via* reducing depression, fatigue, diarrhea and gastrointestinal distress. erapeutic Chinese massage reduced symptoms, such as atulence and intestinal paralysis post-surgery [4].

Comparing TCM and non-TCM PBIs, both bene t to the quality of life in Chinese cancer patients. Importantly, TCM PBIs relieved fatigue, eased diarrhea, and improved gastrointestinal function followed surgery signi cantly. Several individual clinical studies have consistently established that acupuncture relieves fatigue and reduces diarrhea. e in uences of acupuncture on depression symptom, di erent researchers had various outcomes; some researchers showed improvement, some researchers didn't get consistent results. Tai Chi improves quality of life both of mental and physical, including fatigue, distress, and sleep quality [3].

e other highly e ective in uence factor improving patients' health knowledge, health-care-management skills to make the change of health behavior is the role of care manager. e strong partnership between the patient, care manager, and physician attributes positive impact of health behavior changes [16].

Conclusion

TCM dietary, Qigong, and Tai chi are pathways to improve quality of life for cancer patients. Qigong and Tai chi improve the symptoms of fatigue and immune function *via* increasing cortisol level. TCM dietary encourages to intake natural food or supplement to absorb antioxidation and anti-in ammatory properties to enhance the function of the immune system [12].

Quality of life a ected prognosis and survival rates of cancer patients strongly. Researchers showed that TCM dietary and PBIs

signi cantly improve their quality of life. Occurs because TCM is associated with relieving pain, depression, sleep loss, fatigue, diarrhea and gastrointestinal dysfunction [11]. TCM PBIs represent bene cial adjunctive therapy for cancer patients. e current evidenced-based researchers are still limited, expect more evidenced-based researches in the future.

- Chen YQ (2011) People clean cell of cancer every day. Taipei, Taiwan, ROC: China Times Publishing Co, Ltd. (Original work published in Chinese).
- Ravipati AS, Zhang L, Koyyalamudi SR, Jeong SC, Reddy N, et al. (2012)
 Antioxidant and anti-infammatory activities of selected Chinese medicinal
 plants and their relation with antioxidant content. Complement Altern Med 12:
 1-14.
- Chang M L (2011) Introduction to Traditional Chinese Medicine in Nursing. Taipei, Taiwan, ROC: New Wun Ching Developmental Publishing Co, Ltd. (Original work published in Chinese)
- Tao WW, Luo X, Cui B, Liang D, Wang C, et al. (2015) The practice of traditional Chinese medicine for psycho-behavioral intervention improves quality of life in cancer patients: A systematic review and meta-analysis. Oncotarget 6: 39275-39739.
- Lien JC, Lien LM, Wang J (2010) Longevity Depends on a Balance between Proinfammatory and Anti-Infammatory Factors: Use of Tcms and Natural Products. Curr Drug Discov Technol 7: 13-21.
- Clemmens DA, Knaf K, Lev EL, McCorkle R (2008) Cervical Cancer: Patterns of Long-Term Survival. Oncol Nurs Forum 35: 897-903.
- 7. Doyle C, Kushi LH, Byers T, Courney AS, Demark-Wahnefried D, et al. (2006)

- Nutrition and physical activity during and after cancer treatment: an American cancer society guide for informed choices. CA Cancer J Clin 56: 323-353.
- Ghosh C, Baker J, Moysich K, Rivera R, Brasure JR, et al. (2008) Dietary intakes of selected nutrients and food groups and risk of cervical cancer. Nutr Cancer 60: 331-341.
- Hewitt M, Rowland JH, Yancik R (2003) Cancer survivors in the United States: Health and disability. Psycho-Oncology 58: 82-91.
- Ashing-Giwa KT, Lim JW, Gonzalez P (2010) Exploring the Relationship between physical well-being and healthy lifestyle changes among. Europeanand Latina-American breast and cervical cancer survivor. Psychooncology 19: 1161-1170.
- 11. Tho Assansin Rg-, CD waa kan JW, ym M19: