

Keywords: Birth; Risk; Health; Outcome; Evidence

Introduction

Non-communicable diseases (NCDs) are a leading cause of death and disability worldwide. In 2019, NCDs accounted for 71% of all deaths globally, with cardiovascular diseases (CVD) being the most common, followed by cancer, chronic respiratory diseases (CRD), and diabetes [1].

Non-communicable diseases (NCDs) are a leading cause of death and disability worldwide. In 2019, NCDs accounted for 71% of all deaths globally, with cardiovascular diseases (CVD) being the most common, followed by cancer, chronic respiratory diseases (CRD), and diabetes [2].

Non-communicable diseases (NCDs) are a leading cause of death and disability worldwide. In 2019, NCDs accounted for 71% of all deaths globally, with cardiovascular diseases (CVD) being the most common, followed by cancer, chronic respiratory diseases (CRD), and diabetes [3].

Non-communicable diseases (NCDs) are a leading cause of death and disability worldwide. In 2019, NCDs accounted for 71% of all deaths globally, with cardiovascular diseases (CVD) being the most common, followed by cancer, chronic respiratory diseases (CRD), and diabetes [3].

Non-communicable diseases (NCDs) are a leading cause of death and disability worldwide. In 2019, NCDs accounted for 71% of all deaths globally, with cardiovascular diseases (CVD) being the most common, followed by cancer, chronic respiratory diseases (CRD), and diabetes [3].

... [5].

... [6].

... [7].

Discussion

... [8]. I ... [9]. I ... [10]. I ... CC, ... [11].

Conclusion

...

A ... B ... () ... () ... () ... D ... A ... D ... D ...

Acknowledgment

N

Conflict of Interest

N

References

- 1. Henrik V, Christian H, Rangasamy R, Nikolaos S, Verder P, et al. (2021) Bronchopulmonary dysplasia predicted at birth by artificial intelligence. *Acta Paediatr* 110: 503-509.
- 2. Susan N, Nicola RJ, Hege LE (2018) Beyond basic resuscitation: What are the next steps to improve the outcomes of resuscitation at birth when resources are limited?. *Semin Fetal Neonatal Med* 23: 361-368.
- 3. Cristin C, Newberry (2019) Understanding the Pathophysiology, Implications, and Treatment Options of Patent Ductus Arteriosus in the Neonatal Population. *Adv Neonatal Care* 19: 179-187.
- 4. Emily Z, Brenda HYL, Georg MS (2020) Does parental presence affect workload during neonatal resuscitation?. *Arch Dis Child Fetal Neonatal Ed* 105: 559-561.
- 5. Nicolas JP, Daniele T, Clare L, Susanna MH, Francesco C, et al. (2018) Neonatal resuscitation using a laryngeal mask airway: a randomised trial in Uganda. *Arch Dis Child* 103: 255-260.
- 6. McCormick MC (1985) The contribution of low birth weight to infant mortality and childhood morbidity. *N Engl J Med* 312: 82-90.
- 7. RE Behrman, AS Butler (2007) Committee on Understanding Premature Birth and Assuring Healthy Outcomes, Preterm Birth: Causes, Consequences, and Prevention, National Academies Press, Washington, DC, USA.
- 8. Harrison W, Goodman D (2015) Epidemiologic trends in neonatal intensive care, 2007-2012. *JAMA Pediatr* 169: 855-862.
- 9.