Journal of Oral Hygiene & Health

Review Article Open Access

Identifying Traumatic Pulp: A Review

is in amed. Sometimes, a partial pulpotomy that was initially intended to be partial may end up being a full pulpotomy because more pulp tissue needs to be removed in order to achieve Hemostasis. Evidently, vital pulpal procedures like a pulp cap or pulpotomy are not possible with a pulp diagnostic of necrosis (non-vital pulp) or the inability to produce Hemostasis [10].

Ca c J . . ca e cd e, ».

Mineral trioxide aggregate is one of the most innovative endodontic

13. Fuks AB, Gavra S, Chosack A (1993) Long-term follow-up of traumatized incisors treated by partial pulpotomy. Pediatr Dent 15: 334–336.

14. Foreman PC, Barnes IE (1990) Review of calcium hydroxide. Int Endod J 23: 283–297.

15. Elmsmari F, Ruiz XF, Miró Q, Feijoo-Pato N, Durán-Sindreu F, et al. (2019) Outcome of partial pulpotomy in cariously exposed posterior permanent teeth: a systematic review and meta-analysis. J Endod 45: 1296-1306.e3.

16. Li Z, Cao L, Fan M, Xu Q (2015) Direct pulp capping with calcium hydroxide or mineral trioxide aggregate: a meta-analysis. J Endod 41: 1412–1417.

17. Mejàre I, Cvek M (1993) Partial pulpotomy in young permanent teeth with deep carious lesions. Endod Dent Traumatol 9: 238-242.

18. Parirokh M, Torabinejad M, Dummer PMH (2018) Mineral trioxide aggregate and other bioactive endodontic cements: an updated overview-part I: vital pulp therapy. Int Endod J 51: 177-205.

19. Barthel CR, Rosenkranz B, Leuenberg A, Roulet JF (2000) Pulp capping of carious exposures: treatment outcome after 5 and 10 years: a retrospective study. J Endod 26: 525–528.

20. Fong CD, Davis MJ (2002) Partial pulpotomy for immature permanent teeth, its present and future. Pediatr Dent 24: 29-32.