and de a men ha fA ed a nC n f G ad a e ped a Ed a n (ACG pE) a ed ed B/GE e den a gan n he n ed S a e e e ema ed n De emb e 2013 and an a 2014 and a ed f he a a n n he da S e a a he gam de and de a men ha e e a ed f a d he ema ha a hed ea hè B/GE e den a he n n ha b e en ema de ema e e en le den e e a ed ha he ea a n n n he ea a an n and n a B Da a a n a a e f med n a S A A e n 12 (S a a C , C ege S a n ). De e a e e m ed f ma a e e a de b e en he g h e e ed da e h e h e h d n e e ed da mag h e e ed da e h e h e h d n e e ed da mag h a e e . S gn an e a e a a ed a < 0.05.33].

R.

e de a men ha and gama de f 237, B/GEM e den a gama he med Sae ee ma ed aema.



e e. . ne a e. fe e 🛭 e den rha ng hen e neae e , and he ef e anbea e aned. Fe e , h e malb e e e ed he e**⊠**, he∧ e⊠ rha⊠b e rt ed b 🛭 e f-, e e .∧ba, **.**Be, .∧de∧, <sub>r</sub>∿a⊠ ha e had .a .∧ee, Nhe,be,, he A a .∧f rt e ng he, and he ef e mass. he a e e en a e am e. F he m e, in e en & e rarbended n &f h gha en, e den nagene à B/GK n na a ef hehgh-...a.∧.h. dbene frh.h.a' .ne. Abe e g and a h 🔥 h e rhinended. 5. C.A. A De le he Ma A, h, > B/GR™ e den ae e e .ng e he e he he he e .nf rha .nab ....ne rh a a .ha .h.h. egha.h 🐉 ...gge ha∖ B/GR™ e de∧ a e a gh ab and have ead a e a neg de ne and afe ada a h .n edge find a .n f ..ne n a a .ha .h.h. eghan 🛭 being med. F. e. de h din e gae h f he, and meed be and med amg de, ab ... tha e . ma ... me th eS. anen e hebe, a e f . .a.en, .D, g⊠ e de∧ .∧ACG<sub>A</sub>,Ea ed ed a, b, e , a∧d g⊠ne B/GRF e de B g and h he h ed Sa e 11, 12].

## References

1. Creanga AA, Shapiro-Mendoza CK, Bish CL, Zane S, Berg CJ, et al. (2011)

- Trends in ectopic pregnancy mortality in the United States: 1980-2007. Obstet Gynecol 117: 837-843.
- Mukul LV, Teal SB (2007) Current management of ectopic pregnancy. Obstet Gynecol Clin North Am 34: 403-419.
- J KS Lee, VP Lamaro (2009) Ruptured tubal ectopic pregnancy with negative serum beta hCG-a case for ongoing vigilance? N Z Med J 122: 1288.
- Pabon DF, Fann SA, Ford DT (2011) Hemorrhagic shock from an ectopic pregnancy in a patient with a negative urine pregnancy test. The Am Surg 77: 241-242.
- Nishijima K, Shukunami KI, Tsuyoshi H, Hattori Y, Yoshida Y, et al. (2005) Ruptured interstitial pregnancy caused by inactive chorionic villi presenting with negative serum – hCG. Am J Emerg Med 23: 89.
- MA Kalinski, DA Guss (2002) Hemorrhagic shock from a ruptured ectopic pregnancy in a patient with a negative urine pregnancy test result. Ann Emerg Med 40: 102-105.
- DF Brennan, S Kwatra, M Kelly, M Dunn (2000) Chronic ectopic pregnancytwo cases of acute rupture despite negative hCG. J Emerg Med 19: 249-254.
- Grynberg M, Teyssedre J, Andre C, Graesslin O (2009) Rupture of ectopic pregnancy with negative serum -HCG leading to h residents

8.

 $e-f_-he-8.8 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 70003 {2.1} @05-0.490003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 C1087004 (ur0 -1.2866929 \ 40 \ ect @048108700480046 hid 90003 {2.5} @047004 (ur0 -1.2866929 \ 40 \ ect @0481087004 (u$ 



