



# Neuroendocrine Interactions in the Immune System / 神经内分泌与免疫系统的相互作用



4. Graus F, Delattre JY, Antoine JC, Dalmau J, Giometto B, et al. (2004) Recommended diagnostic criteria for paraneoplastic neurological syndromes. *J. Neurol. Neurosurg. Psychiatry*75: 1135-1140.
5. Graus F, Saiz A, Dalmau J. (2010) Antibodies and neuronal autoimmune disorders of the CNS. *J. Neurol* 257: 509-517.
6. Pittock SJ, Kryzer TJ, Lennon VA. (2004) Paraneoplastic antibodies coexist and predict cancer, not neurological syndrome. *Ann Neurol* 56: 715-719.
7. Carney DN, Zweig MH, Ihde DC, Cohen MH, Makuch RW, et al. (1984) Elevated serum creatine kinase BB levels in patients with small cell lung cancer. *Cancer. Res*44: 5399-5403.
8. Niklinski J, Furman M, Laudanski J, Palynyczko Z, Welk M. (1991) Evaluation of carcinoembryonic antigen (CEA) and brain-type creatine kinase (CK-BB) in serum from patients with carcinoma of the lung. *Neoplasma* 38: 129-135.
9. Niklinski J, Furman M, Palynyczko Z, Laudanski J, Bulatowicz J. (1991) kinase-BB as tumor markers for carcinoma of the lung. *Neoplasma*38: 645-651.
10. Zarghami N, Yu H, Diamandis EP, Sutherland DJ. (1995) of creatine kinase BB isoenzyme in tumor cytosols and serum with an *Clin. Biochem*28: 243-253.
11. Zarghami N, Gai M, Yu H, Roagna R, Ponzzone R, et al. (1996) Creatine kinase BB isoenzyme levels in tumour cytosols and survival of breast cancer patients. *Br. J. Cancer*73: 386-390.
12. Huddleston HG, Wong KK, Welch WR, Berkowitz RS, Mok SC. (2005) Clinical applications of microarray technology: creatine kinase B is an up-regulated gene in epithelial ovarian cancer and shows promise as a serum marker. *Gynecol. Oncol*96: 77-83.
13. Graus F, Illa I, Agusti M, Ribalta T, Cruz-Sanchez F, et al. (1991) intraventricular injection of an anti-Purkinje cell antibody (anti-Yo) in a guinea pig model. *J. Neurol. Sci*106: 82-87.