

Endometrial Cancer Awareness: Recognizing the Signs and Symptoms

Wilfried Mossac

Ö^]ælc { ^}ç[-!Ôæ}&^!Ü^•^æ/!&@ÉÁW)çç^!•çç[-!Ôæâá(Ç~^æâÉ!Tæ!æ\^•@É!T[!/&&[

Corresponding author: Wilfried Mossac, Department of Cancer Research, University of Cadi Ayyad, Marrakesh, Morocco, E-mail: mossleboss@yahoo.fr

Received: 29-Apr-2024, Manuscript No. AOT-24-133531; **Editor assigned:** 02-May-2024, PreQC No. AOT-24-133531 (PQ); **Reviewed:** 16-May-2024, QC No. AOT-24-133531; **Revised:** 23-May-2024, Manuscript No. AOT-24-133531 (R); **Published:** 30-May-2024, DOI: 10.4172/aot.1000281

Citation: Mossac W (2024) Endometrial Cancer Awareness: Recognizing the Signs and Symptoms. J Oncol Res Treat 9:281.

Copyright: © 2024 Mossac W. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Description

Endometrial cancer sometimes referred to as uterine cancer, is a kind of cancer that starts in the endometrium, which is the lining that lines the uterus. Thousands of new cases are identified with this gynecologic cancer every year, making it the most frequent among women. Early identification and successful treatment of endometrial cancer requires an understanding of its indications and symptoms. A better understanding of this illness can enable women to seek treatment as soon as possible, improving their quality of life and treatment results.

It is caused when aberrant cells in the endometrium expand and eventually lead to endometrial cancer. Although the exact cause of endometrial cancer remains unknown, a number of risk factors have been identified. These include diabetes, obesity, hormone therapy, Lynch syndrome (hereditary nonpolyposis colorectal cancer), and a history of ovarian cancer or endometrial hyperplasia. Though it is most common in postmenopausal women, younger women can still get endometrial cancer.