Open Acces
Scientific Reports

Open Access Scientific Reports

Rapid Communication Open Acces

#VJMEJOH 4VQFS 4US#AVDDULVZSCFBTM UMITS BOVOHEI #VDLZU

Anuraag Boddupalli *
Manipal Institute of Technology, India

Abstract

Fullerenes or buck series of hollow carbon molecules that form either a closed cage (“buckyballs”) or a cylinder (carbon “nanotubes”) represent an exciting group of nanomaterials which have a beauty and elegance that excites the imagination of scientists and nonscientists alike, as they bridge aesthetic gaps between the sciences, architecture, mathematics, engineering, and the visual arts. Since the discovery of fullerenes in 1985, structural YDULDWLRQV RQ IXOOHUHQHV KDYH HYROYHG ZHOO EH\RQG WKH LQGLYLGXDO FO is related to their unique chemistry, super conductivity, and their technological applications, especially in materials science, electronics, and nanotechnology. Researchers are now slowly unraveling the multifaceted attributes of these molecules for improving society and environment.

Keywords: Carbon; Geodesic dome; Fullerenes; Nanotubes; Nanomotors

Introduction

Nanotechnology represents a subject which is a synthesis of di erent sciences and technologies at the nanometer scale. In other words, it involves a di erent approach to the way we arrange and rearrange matter, which in turn can be harnessed to develop need based technologies. Until 1985, graphite and diamond were believed to be the only naturally occurring forms of carbon. In the year 1902, seven year old Buckminster Fuller, like all his other classmates was given a set of toothpicks and peas to design whatever he wanted in the class. e objective of that exercise was to judge the creativity and aptitude of the child, but it took several years for people to realize the immense signi cance of the truncated icosahedron structure that little Buckminster had made (Figure 1). Indeed at rst glance, it looked as if he had tried to model his design to make a ball like structure from the straight toothpicks, but this very structure was much more. Several years later, scientists understood that such a structure was one of the most stable freestanding designs that man had ever created. And that too from a young boy, who had trouble with geometry, being unable to understand the abstraction necessary to imagine that a chalk dot on the blackboard represented a mathematical point or that an imperfectly drawn line with an arrow on the end was meant to stretch o to in nity. is man, Richard Buckminster Fuller went on to become one of the greatest scienti c thinkers of all times. He gave to the world the concept of Geodesic Dome, Ephemeralization and Spaceship Earth. e most famous example of Geodesic dome being the shiny spherical structure is the Epcot Center at Disneyland in Florida, USA (Figure 2). On 4th September, 2010, Google used an interactively rotatable fullerene C60 as the second 'o' in their logo to celebrate the 25th anniversary of the discovery of the fullerenes.



Figure 1: A buckminsterfullerene or a ‘Buckyball’ showing inter-atomic linkages.

What are fullerenes?

Fullerene is another allotrope of carbon just like Diamond and graphite. Allotropes are those having the same chemical formula but varying physical structures. So what are Buckyballs, or Buckminsterfullerenes? e name ‘Buckyballs’ was given to spherical fullerenes as they resembled the balls used in soccer or association football, whereas the cylindrical fullerene structures are called ‘Buckytubes’ (Figure 3). In terms of structure, fullerenes resemble the graphite stacks more than they resemble diamond as fullerenes too have hexagonal shaped rings; the only di erence is that fullerenes also have pentagonal rings in their stacks. ey are simply allotropes of Carbon with the formula C_{60} and a cylindrical structure, forming spherical molecules. ey can be categorized as Single Walled and Multi Walled Nanotubes and were rst discovered in 1952 by L. V. Radushkevich and V. M. Lukyanovich who published clear images of 50 nanometer diameter tubes made of carbon in the Soviet Journal of Physical Chemistry. But the bulk of work done in analyzing their properties was done by Sumio Iijima of NEC (a MultiNational Company based in Japan) in 1991. ey were rst prepared in 1985 by Kroto H et al. [1]. Kroto and group were awarded the 1996 Nobel Prize in Chemistry for their role in the discovery of buckminsterfullerene and the related class of molecules, the fullerenes. e name is homage to the genius Richard Buckminster Fuller, whose geodesic domes it resembles. Buckminsterfullerene was the rst fullerene molecule discovered and it is also the most common in terms of natural occurrence, as it can be found in small quantities in soot from chimneys, etc.

*Corresponding author: Anuraag Boddupalli, Manipal Institute of Technology, 576104, India, E-mail: anuraagboddupalli@gmail.com

Received October 15, 2011; Published October 29, 2012

Citation: Boddupalli A (2012) Building Super Structures through “Buckyballs and Buckytubes”. 1:396. doi: VFLHQWL¿FUHSRUWV

Copyright: © 2012 Boddupalli A. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

production techniques used so far and also reduce the pressure on fossil fuels consumption [3].

In 2003, a proposal was made by a group of petroleum producing and oil eld service companies and the University of Texas at Austin to engage in joint research and development concerning the application of nanotechnology to the exploration and production of oil and gas. e goal of the joint venture, called the Advanced Energy Consortium (AEC), is to develop subsurface nanosensors that can be injected into oil and gas well bores. By virtue of their very small size, these sensors would migrate out of the well bores and into the pores of the surrounding geological structure to collect data about the physical characteristics of hydrocarbon reservoirs. e data collected could enable the more e cient exploitation of hydrocarbon resources and hence avoid a great deal of labour and instrumentation damage.

All in all, buckytubes and buckyballs show a great promise as the materials which could usher in the ‘Nano Age’ of our world’s development. An age where we would see highly e cient