Open Access Scientific Reports

Review Article Open Acces

Abstract

Algae are the fastest-growing plants in the world, this study demonstrates the production of algal biodiesel from Scenedesmus dimorphus, Biodiesel is an alternative fuel for conventional diesel that is made from natural plant oils, animal fats, and waste cooking oils. This paper discusses the economics of producing biodiesel fuel from DOJDH JURZQ LQ RSHQ SRQGV 0LFURDOJDH KDYH EHHQ LGHQWL¿HG DV D SRWHQW productivity and the process conditions are milder than those required for pyrolysis and prevent the formation of by-products. Algae are very important as a biomass source. Algae will someday be competitive as a source for biofuel. Algae can be grown almost anywhere, even on sewage or salt water, and does not require fertile land or food crops, and processing requires less energy than the algae provides. Algae can be a replacement for oil based fuels, one that is more effective and has no disadvantages. About 50% of their weight is oil. This lipid oil can be used to make biodiesel for cars, trucks, and airplanes. Microalgae have much faster growth-rates than terrestrial crops.

Keywords: Microalgae; Biofuels; Lipid; Biomass; Glycerol; Transesteri cation

Abbreviation: ASTM: American Society of Testing Materials; FAME: Fatty Acid Alkyl Ester; TAGs: Try Acyl Glycerol's; MFC: Microbial Fuel Cell; MAO: Microalgae Oil; TG: Triglycerides; PAHs: Polycyclic Aromatic Hydrocarbons

Introduction

e search for sustainable and renewable fuels is becoming increasingly important as a direct result of climate change and rising fossil-fuel prices. Current commercial production of biodiesel or Fatty Acid Methyl Ester (FAME) involves alkaline-catalyzed transesteri cation of triglycerides found in oleaginous food crops with methanol [1]. Biodiesel is produced from triglycerides derived mainly from vegetable oils or animal fats. Recently, new oil production methods have been investigated such as oil produced from algae and oleaginous yeasts indicating new sources of biodiesel which, contrary to energy crops, do not con ict with the cultivation of land for food, therefore they can o er alternatives to the food vs. fuels land use. Biodiesel has been thoroughly tested and can be used as an alternative fuel in both boilers and internal combustion engines either in a pure form or blended with petroleum-based diesel [2]. Petroleum-based fuels are recognized as unsustainable energy source due to their depleting supplies and contribution to global warming. Renewable biofuels are promising alternatives to petroleum-based fuels, among which biodiesel has attracted the most attention in recent years. Biodiesel is a diesel-equivalent fuel derived from biological feedstocks and is chemically referred to as a Fatty Acid Methyl Ester (FAME). Compared with traditional fuels, biodiesel is carbon neutral, contributes less emission of gaseous pollutants and hence is environmentally bene cial [3].

Competitive liquid biofuels from various biomass materials by chemically and biochemically have been found promising methods for near future. Liquid biofuels may o er a promising alternative to petroleum based transportation fuels. ere are two global liquid transportation biofuels: bioethanol and biodiesel, respectively. Among emerging feedstocks, jatropha currently can be converted to biodiesel with commercial processes, while processes capable of converting algae, crop wastes, perennial grasses, wood and wood wastes are still pre-commercial stages [4].

Cost and environmental impact of conversion process

For a sustainable future of the planet, we must look into renewable energy sources which implicitly include sustainable fuel sources. Based on the positive energy balance or life cycle analysis, biodiesel is shown to be sustainable. However, competition of feed source with food, and destruction of natural habitats resulting from energy crop plantation are some inevitable issues which require attention. Furthermore, various aspects in increasing the economic perspectives of the biodiese are examined [5].

We highlight the important aspects of the biodiesel which will strengthen the prospect as the next generation green fuel. Four major areas are discussed:

(i) Cost and environmental impact of conversion processes

(ii) E orts towards environmentally benign and cleaner emissions

(iii) Diversi cation of products derived from biodiesel glycerol

(iv) Policy and government incentives [6].

Flow digram of microalgal oil discription

High acidic value of Microalgae Oil (MAO) makes them an inconvenient raw material for the traditional biodiesel production. However, by means of a sequential acidic esteri cation/basic

*Corresponding author: Gulab Chand S, School of Biotechnology, Rajiv Gandhi Proudyogiki Vishwavidyalaya, Bhopal, Madhya Pradesh, India, Tel: 0755-2678803; Fax: 0755- 2742002-3; E-mail: gulab777@gmail.com

Received September 12, 2012; Published September 29, 2012

Citation: Gulab Chand S, Richa G, Mahavir Y, Archana T (2012) Analysis for the Higher Production of Biodiesel from Scenedesmus dimorphus Algal Species. 1:320. doi: V F L H Q W L 3 F U H S R U W V

is as biodegradable as sugar and has a high ash point compared to petroleum diesel fuel. Biodiesel can be used alone or mixed in any ratio

7. Sánchez E, Ojeda K, El-Halwagi M, Kafarov V (2011) Biodiesel from Microalgae 2LO 3URGXFWLRQ LQ 7ZR 6HTXHQWLDO (VWHUL¿FDWLRQ7UDQVHVWHULFDWLRQ5HDFWDQWV 3LQFK $QDO\VLV RI +HDW ,QWHJUDWLRQ &KHP (QJ 1 1

8. Robles Medina A, González Moreno PA, Esteban Cerdán L, Molina Grima E (2009) Biocatalysis: Towards Ever Greener Biodiesel Production. Biotechnol $GY ±

9. Demirbas A (2007) Importance of Biodiesel as Transportation Fuel. Energ 3ROLF\ ±

10. Ma F, Hanna MA (1999) Biodiesel Production: A Review. Bioresource Technol ±

11. 0LWWHOEDFK 0 5HPVFKPLGW & %LRGLHVHOV±7KH &RPSUHKHQVLYH Handbook. Karl-Franzens University, Graz, Austria.

12. Laforgia D, Ardito V (1995) Biodiesel Fuelled IDI Engines: Performances, (PLVVLRQV DQG +HDW 5HOHDVH ,QYHVWLJDWLRQ %LRUHVRXUFH7HFKQRO ±

13. Prakash CB (1998) A Critical Review of Biodiesel as a Transportation Fuel in Canada. A Technical Report, GCSI—Global Change Strategies International Inc., Canada.

14. Palz W, Spitzer J, Maniatis K, Kwant N et al. (2002) In: Proceedings of the 12th International European Biomass Conference, ETA-Florence, WIP-Munich, Amsterdam, The Nether-lands.

15. Stein JR (1973) Handbook of Phycological Methods. Culture methods and growth measurements, Cambridge University Press.

16. Knothe G (2006) Analyzing Biodiesel: Standards and other Methods. J Am Oil Chem Soc 83: 823-33.

17. Sánchez Mirón A, Cerón García MC, Contreras Gómez A, García Camacho F et al. (2003) Shear Stress Tolerance and Biochemical Characterization of Phaeodactylum tricornutum in Quasi Steady-State Continuous Culture in Outdoor Photobioreactors. Biochem Eng J 16: 287-97.

18. León-Bañares R, González-Ballester D, Galváan A, Fernández E (2004) 7UDQVJHQLF0LFURDOJDH DV *UHHQ &HOO)DFWRULH

19. Mata-Alvarez J, Mace S, Llabres P (2000) Anaerobic Digestion of Organic Solid Wastes. An Over View of Research Achievements and Perspectives. Bioresour 7HFKQRO ±