Open Access Scientific Reports

Research Article Open Acces

Abstract

Introduction: +,9 LV D UHWURYLUDO GLVHDVH FDXVHG E\ +XPDQ LPPXQRGH¿FLHQF\ Y by profound immunosuppression leading to opportunistic secondary neoplasms and neurological manifestations. These viruses store their genetic information as RNA, which is converted in to DNA by a special enzyme Reverse Transcriptase (RT).

Aim: The aim of the study was to correlate the CD4 count and Dental caries activity in HIV seropositive individuals, with and without Anti Retroviral Therapy (ART).

Materials and methods: Subjects above the age of 20 years who were HIV seropositive were included in this study. 112 subjects were enrolled in this study, 55 subjects were under Anti-Retroviral Therapy and 57 were naive [illegible]

Keywords: HIV; Anti Retroviral erapy

Introduction

HIV is a retroviral disease caused by Human immunode ciency virus (HIV), and is characterized by profound immunosuppression leading to opportunistic secondary neoplasms and neurological manifestations. ese viruses store their genetic information as RNA, which is converted in to DNA by a special enzyme Reverse Transcriptase (RT).

HIV is easily transmitted through needles and syringes contaminated with infected blood, sharing intravenous drug paraphernalia puts you at high risk of HIV and Hepatitis.

Saliva has been used as an alternative body uid other than blood for detection of (HIV) Human Immuno de ciency Virus. Testing of saliva is relatively less expensive sampling technique than blood specimens. Vein puncture increases the risk of transmission to health care workers through hollow bore needle accidents, and test tube breakage has paved the way for oral uids.

Preventive measure is that individuals with a compromised immune system need to avoid bacterial infections. HIV-positive people should be encouraged to receive dental examinations every six months. Oral problems, such as dental caries and periodontal disease, are the result of bacterial infections. Individuals with HIV can protect themselves by regular brushing and periodic dental examinations.

*Corresponding author: Venkatesh Kasiraj Gandhiraj, Senior Lecturer, Priyadarshini Dental College, No 10 M.T.H Road, Villivakkam, Chennai 600049, India, Tel: +91 9176119199; E-mail: drkgvz@yahoo.co.in

Received August 23, 2012; Published October 30, 2012

Citation: Kasiraj GV (2012) Correlation of CD4 Count with Dental caries in HIV Seropositive Individuals with and without ART (Anti Retroviral Therapy). 1:442. doi: V F L H Q W L ¿ F U H S R U W V

Copyright: © 2012 Kasiraj GV. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.