1 T H 7 d

2

3 T H 1

4

5

e T H 7 d T H

o T H

T. gondii

H 2

T. gondii

T. gondii

T. gondii

T. gondii

Antigen	Immunogen	Mouse strain		
	concentration	C57BL/6	BALB/c	CBA/J
BSA	40.00 g/ml	0.18 ± 0.03	0.48 ± 0.12	0.49 ± 0.04
TSo	40.00 µg/ml	6.60 ± 1.29	12.22 ± 1.90	24.04 ± 0.86
SAG1	3.12 µg/ml	0.32 ± 0.01	0.99 ± 0.04	3.97 ± 0.01
	0.78 g/ml	0.27 ± 0.02	1.15 ± 0.71	2.16 ± 017
	0.19 µg/ml	0.17 ± 0.03	0.77 ± 0.26	1.68 ± 0.38
GRA4	1: 50	0.61 ± 0.03	2.40 ± 0.70	2.91 ± 0.34
	1: 200	0.36 ± 0.05	1.17 ± 0.47	2.49 ± 0.20
	1: 800	0.19 ± 0.01	0.34 ± 0.09	0.72 ± 0.05
229-242 peptide	12.50 µg/ml	0.23 ± 0.05	0.57 ± 0.15	2.21 ± 1.42
	3.12 g/ml	0.18 ± 0.01	0.72 ± 0.06	1.90 ± 1.05
	0.78 µg/ml	0.11 ± 0.01	0.59 ± 0.02	0.46 ± 0.01

Toxoplasma

Toxoplasma

T. gondii

T. gondii

T. gondii

T. gondii

Humans:

T. gondii

T. gondii

T. gondii

Animals: T. gondii

T. gondii

T. gondii,

T. gondii

T. gondii

T.

gondii

T. gondii

T. gondii

Serum Antineutrophil Cytoplasmic Autoantibodies (ANCA) in Patients with In ammatory Bowel Disease (IBD) may be Generated by Chronic Oral T. Gondii Infection

T. gondii,

Saccharomyces cerevisiae

T. gondii

T. gondii

T. gondii

Prenatal and Postnatal OralT. Gondii Infection May Cause Development of Necrotizing Enterocolitis and In ammatory Bowel Disease in Newborns, Children and Adults

Necrotizing enterocolitis (NEC)

Citation: Prandota J (2012) Gastrointestinal Tract Abnormalities in Autism, Inþammatory Bowel Disease and Many Other Clinical Entities May Be Due To T. Gondii infection. 1:256. doi:10.4172/scientiýcreports.

T. gondii

in vitro

T. gondii

Development of Metabolic Syndrome in Patients With IBD may be due to T. Gondii Infection

T. gondii

T. gondii

T. gondii

T. gondii

T. Gondii Transmission in Eukaryotic Cells Acting as a "Trojan Horse"

T. gondii

T. gondii

Maternal-Fetal Microchimerisms and Transmission of T. Gondii

T. gondii

T. gondii

T. gondii

Bifidobacterium, Bacteroides spp, Clostridium perfringens,

T. gondii

T. gondii

T. gondii

T. gondii

T. gondii.

Bene cial e ects of Lf in in ammatory diseases

i.e.

Important role of Lf in IBD

[illegible] T. gondii [illegible]

[illegible] T. gondii [illegible]

superior frontal, parietal and cerebellar cortices of autistic subjects. Cerebellum 4: 206-210.

38. Ahlsén G, Rosengren L, Belfrage M, Palm A, Haglid K, et al. (1993) Glial ýbrillary acidic protein in the cerebrospinal þuid of children with autism and other neuropsychiatric disorders. Biol Psychiatry 33: 734-743.

39. Ashwood P, Krakowiak P, Hertz-Picciotto I, Hansen R, Pessah I, et al. (2011) Elevated plasma cytokines in autism spectrum disorders provide evidence of immune dysfunction and are associated with impaired behavioral outcome. Brain Behav Immun 25: 40-45.

40. Li X, Chauhan A, Sheikh AM, Patil S, Chauhan V, et al. (2009) Elevated immune response in the brain of autistic patients. J Neuroimmunol 207: 111-116.

41. Jyonouchi H, Sun S, Le H (2001) Proinþammatory and regulatory cytokine production associated with innate and adaptive immune responses in children with autism spectrum disorders and developmental regression. J Neuroimmunol 120: 170-179.

42. Ashwood P, Anthony A, Torrente F, Wakefield AJ (2004) Sp

enteric glial cells in the enteric nervous system of rat ileum. Biol Signals Recept 10: 336-340.

83. Fletcher EL, Clark MJ, Furness JB (2002) Neuronal and glial localization of GABA transporter immunoreactivity in the myenteric plexus. Cell Tissue Res 308: 339-346.

84. Hounnou G, Destrieux C, Desmé J, Bertrand P, Velut S (2002) Anatomical study of the length of the human intestine. Surg Radiol Anat 24: 290-294.

85. Schäfer KH, Hänsgen A, Mestres P (1999) Morphological changes of the myenteric plexus during early postnatal development of the rat. Anat Rec 256: 20-28.

86. Marese AC, de Freitas P, Natali MR (2007) Alterations of the number and the proýle of myenteric neurons of Wistar rats promoted by age. Auton Neurosci 137: 10-18.

87. Gabella G (1971) Neuron size and number in the myenteric plexus of the newborn and adult rat. J Anat 109: 81-95.

88. Phillips RJ, Powley TL (2001) As the gut ages: timetables for aging of innervation vary by organ in the Fischer 344 rat. J Comp Neurol 434: 358-377.

89. Meciano Filho J, Carvalho VC, de Souza RR (1995) Nerve cell loss in the myenteric plexus of the human esophagus in relation to age: a preliminary investigation. Gerontology 41: 18-21.

90. Gomes OA, de Souza RR, Liberti EA (1997) A preliminary investigation of the effects of aging on the nerve cell number in the myenteric ganglia of the human colon. Gerontology 43: 210-217.

91. Wade PR (2002) Aging and neural control of the GI tract. I. Age-related changes in the enteric nervous system. Am J Physiol Gastrointest Liver Physiol 283: G489-495.

92.

a reduced number of interstitial cells of Cajal in hypertrophic rat ileum. Gut 42: 836-844.

173. Ekblad E, Bauer AJ (2004) Role of vasoactive intestinal peptide and inþammatory mediators in enteric neuronal plasticity. Neurogastroenterol Motil 16 Suppl 1: 123-128.

174. Roberts PJ, Morgan K, Miller R, Hunter JO, Middleton SJ (2001) Neuronal COX-2 expression in human myenteric plexus in active inþammatory bowel disease. Gut 48: 468-472.

175. Renzi D, Pellegrini B, Tonelli F, Surrenti C, Calabrò A (2000) Substance P (neurokinin-1) and neurokinin A (neurokinin-2) receptor gene and protein expression in the healthy and inþamed human intestine. Am J Pathol 157: 1511-1522.

176. Arnold SJ, Facer P, Yiangou Y, Chen MX, Plumpton C, et al. (2003) Decreased potassium channel IK1 and its regulator neurotrophin-3 (NT-3) in inþamed human bowel. Neuroreport 14: 191-195.

177. Yiangou Y, Facer P, Smith JA, Sangameswaran L, Eglen R, et al. (2001) Increased acid-sensing ion channel ASIC-3 in inþamed human intestine. Eur J Gastroenterol Hepatol 13: 891-896.

178. Yiangou Y, Facer P, Baecker PA, Ford AP, Knowles CH, et al. (2001) ATP-gated ion channel P2X(3) is increased in human inþammatory bowel disease. Neurogastroenterol Motil 13: 365-369.

179. Geller SA, Cohen A (1983) Arterial inþammatory-cell inýltration in Crohn's disease. Arch Pathol Lab Med 107: 473-475.

180. Wakeýeld AJ, Sankey EA, Dhillon AP, Sawyerr AM, More L, et al. (1991) Granulomatous vasculitis in Crohn's disease. Gastroenterology 100: 1279-1287.

181. STORSTEEN KA, KERNOHAN JW, BARGEN JA (1953) The myenteric plexus in chronic ulcerative colitis. Surg Gynecol Obstet 97: 335-343.

182. Dvorak AM, Osage JE, Monahan RA, Dickersin GR (1980) Crohn's disease: transmission electron microscopic studies. Human Pathol 11: 620-634.

183. Bradley JS Jr, Parr EJ, Sharkey KA (1997) Effects of inþammation on cell proliferation in the myenteric plexus of the guinea-pig ileum. Cell Tissue Res 289: 455-461.

184. Szabó V, Fehér E (1991) Ultrastructural changes in the nerve elements in Crohn's disease. Acta Chir Hung 32: 25-32.

185. R¿hl A (2005) Glial cells in the gut. Neurogastroenterol Motil 17: 777-790.

186. Bassotti G, Villanacci V, Fisogni S, Rossi E, Baronio P, et al. (2007) Enteric glial cells and their role in gastrointestinal motor abnormalities: introducing the neuro-gliopathies. World J Gastroenterol 13: 4035-4041.

187. Bassotti G, Villanacci V, Antonelli E, Morelli A, Salerni B (2007) Enteric glial cells: new players in gastrointestinal motility? Lab Invest 87: 628-632.

188. Hirata I, Berrebi G, Austin LL, Keren DF, Dobbins WO 3rd (1986) Immunohistological characterization of intraepithelial and lamina propria lymphocytes in control ileum and colon and in inþammatory bowel disease. Dig Dis Sci 31: 593-603.

189. Chadwick VS, Chen W, Shu D, Paulus B, Bethwaite P, et al. (2002) Activation of the mucosal immune system in irritable bowel syndrome. Gastroenterology 122: 1778-1783.

190. Ogra PL (2010) Ageing and its possible impact on mucosal immune responses. Ageing Res Rev 9: 101-106.

191. Wilson CB, Kollmann TR (2008) Induction of antigen-speciýc immunity in human neonates and infants. Nestle Nutr Workshop Ser Pediatr Program 61: 183-195.

192. MacDonald TT, Spencer J (1990) Ontogeny of the mucosal immune response. Springer Semin Immunopathol 12: 129-137.

193. MacDonald TT, Spencer J (1994) Ontogeny of the gut-associated lymphoid system in man. Acta Paediatr Suppl 83: 3-5.

194. Cornes JS (1965) Number, size, and distribution of Peyer's patches in the human small intestine. Part I. The development of Peyer's patches. Gut 6: 225-229.

195. J·nsd·ttir I (2007) Maturation of mucosal immune responses and inþuence of maternal antibodies. J Comp Pathol 137 Suppl 1: S20-26.

196.

216. Grigg ME, Ganatra J, Boothroyd JC, Margolis TP (2001) Unusual abundance of atypical strains associated with human ocular toxoplasmosis. J Infect Dis 184: 633-639.

217. Carme B, Demar M, Ajzenberg D, Dardé ML (2009) Severe acquired toxoplasmosis caused by wild cycle of Toxoplasma gondii, French Guiana. Emerg Infect Dis 15: 656-658.

218. Dubey JP (1996) Strategies to reduce transmission of Toxoplasma gondii to animals and humans. Vet Parasitol 64: 65-70.

219.

348. Pfefferkorn ER, Guyre PM (1984) Inhibition of growth of Toxoplasma gondii in cultured ýbroblasts by human recombinant gamma interferon. Infect Immun 44: 211-216.

349. Woodman JP, Dimier IH, Bout DT (1991) Human endothelial cells are activated by IFN-gamma to inhibit Toxoplasma gondii replication. Inhibition is due to a different mechanism from that existing in mouse macrophages and human ýbroblasts. J Immunol 147: 2019-2023.

350. Nagineni CN, Pardhasaradhi K, Martins MC, Detrick B, Hooks JJ (1996) Mechanisms of interferon-induced inhibition of Toxoplasma gondii replication in human retinal pigment epithelial cells. Infect Immun 64: 4188-4196.

351. Peterson PK, Gekker G, Hu S, Chao CC (1995) Human astrocytes inhibit intracellular multiplication of Toxoplasma gondii by a nitric oxide-mediated mechanism. J Infect Dis 171: 516-518.

352. Chao CC, Gekker G, Hu S, Peterson PK (1994) Human microglial cell defense against Toxoplasma gondii. The role of cytokines. J Immunol 152: 1246-1252.

353. Theoharides TC, Kalogeromitros D (2006) The critical role of mast cells in allergy and inþammation. Ann N Y Acad Sci 1088: 78-99.

354. Mayr SI, Zuberi RI, Liu FT (2003) Role of immunoglobulin E and mast cells in murine models of asthma. Braz J Med Biol Res 36: 821-827.

355. Saeij JP, Boyle JP, Boothroyd JC (2005) Differences among the three major strains of Toxoplasma gondii and their speciýc interactions with the infected host. Trends Parasitol 21: 476-481.

356. Dubey JP (1998) Advances in the life cycle of Toxoplasma gondii. Int J Parasitol 28: 1019-1024.

357. Buzoni-Gatel D, Debbabi H, Mennechet FJ, Martin V, Lepage AC, et al. (2001) Murine ileitis after intracellular parasite infection is controlled by TGF-beta-producing intraepithelial lymphocytes. Gastroenterology 120: 914-924.

358. Lidar M, Langevitz P, Shoenfeld Y (2009) The role of infection in inþammatory bowel disease: initiation, exacerbation and protection. Isr Med Assoc J 11: 558-563.

359. Plot L, Amital H, Barzilai O, Ram M, Nicola B, et al. (2009) Infections may have a protective role in the etiopathogenesis of celiac disease. Ann N Y Acad Sci 1173: 670-674.

360. Egan CE, Cohen SB, Denkers EY (2012) Insights into inþammatory bowel disease using Toxoplasma gondii as an infectious trigger. Immunol Cell Biol 90: 668-675.

361. Hertervig E, Wieslander J, Johansson C, Wiik A, Nilsson A (1995) Anti-neutrophil cytoplasmic antibodies in chronic inþammatory bowel disease. Prevalence and diagnostic role. Scand J Gastroenterol 30: 693-698.

362. Proujansky R, Fawcett PT, Gibney KM, Treem WR, Hyams JS (1993) Examination of anti-neutrophil cytoplasmic antibodies in childhood inþammatory bowel disease. J Pediatr Gastroenterol Nutr 17: 193-197.

363.

Citation: Prandota J (2012) Gastrointestinal Tract Abnormalities in Autism, Inþammatory Bowel Disease and Many Other Clinical Entities May Be Due To T. Gondii infection. 1:256. doi:

438. Mortimer MJ, Kay J, Jaron A (1993) Clinical epidemiology of childhood abdominal migraine in an urban general practice. Dev Med Child Neurol 35:

528. El-Haddad MA, Desai M, Gayle D, Ross MG (2004) In utero development of fetal thirst and appetite: potential for programming. J Soc Gynecol Investig 11: 123-130.

529. Harman CR (2008) Amniotic þuid abnormalities. Semin Perinatol 32: 288-294.

530. Lo ES, Lo YM, Hjelm NM, Thilaganathan B (1998) Transfer of nucleated maternal cells into fetal circulation during the second trimester of pregnancy. Br J Haematol 100: 605-606.

531. Cuddapah Sunku C, Gadi VK, de Laval de Lacoste B, Guthrie KA, Nelson JL (2010) Maternal and fetal microchimerism in granulocytes. Chimerism 1.

532. Jonsson AM, Uzunel M, Götherström C, Papadogiannakis N, Westgren M (2008) Maternal microchimerism in human fetal tissues. Am J Obstet Gynecol 198: 325.

533. Fuksman RB, Mazzitelli NG (2009) Second-trimester histopathological placental ýndings in maternal-fetal inþammatory response syndrome. Pediatr Dev Pathol 12: 42-46.

534. Maloney S, Smith A, Furst DE, Myerson D, Rupert K, et al. (1999) Microchimerism of maternal origin persists into adult life. J Clin Invest 104: 41-47.

535. Boyer K, Hill D, Mui E, Wroblewski K, Karrison T, et al. (2011) Unrecognized ingestion of Toxoplasma gondii oocysts leads to congenital toxoplasmosis and causes epidemics in North America. Clin Infect Dis 53: 1081-1089.

536.

abnormalities found in individuals with autism spectrum disorders, Down syndrome and Alzheimer disease may be caused by congenital and/or acquired chronic cerebral toxoplasmosis. Res Autism Spectr Disord 5: 14-59.

575. Leveque L, Khosrotehrani K (2011) Can maternal microchimeric cells inþuence the fetal response toward self antigens. Chimerism 2: 71-77.

576.

707. Shimizu K, Matsuzawa H, Okada K, Tazume S, Dosako S, et al. (1996) Lactoferrin-mediated protection of the host from murine cytomegalovirus infection by a T-cell-dependent augmentation of natural killer cell activity. Arch Virol 141: 1875-1889.

708. Shau H, Kim A, Golub SH (1992) Modulation of natural killer and lymphokine-activated killer cell cytotoxicity by lactoferrin. J Leukoc Biol 51: 343-349.

nalactoferrin. J Leukoc Biol 51:9343-349.