Open Access

Research Article

Page 3 of 4

.

N, 12110,10 XX X 壞 R 1 • ,i KA KA K Ŕ 0.9_ _ Х **∎**Ø [†]⊠ \overline{v} . Х 3.2. . <u>}</u> 12 ₩ X 1 1. *⊠ X . (.... *⊠ '⊠, KAR K *⊠ X Ø ₩ XX X . , 🕅 С j, 🕺 🖬 🔹 📲 🕅 (; 🖬 9). N A Ŕ Ø 2 X , • 🕅 Х •,i ⊠,i, X **,** 🛛 ; • 🔯 1 2-8 🔤 🖌 🙀 МŔ 12 KAR IKAR KA 12 R 14 ; I. 4 i. ŧØ ₩, I. Ø, - 1 (C18) , **X** ₩ 12 <u>N</u> ,i• 🕅, Ø 5 ,i 1 Ø ۱. 12 ,i ™. †⊠ 🛛 (; 🖾 , 🖾 🖾 | 5. C ₩ 🛛 . 🙀 🖄 , , 🛛 📭 🌌 ، بر ا بر ا • . • **M . . .** '⊠• , MA ; MAR R N , R . . . ,⊠, Ka, Kala 🛛 🕺 🕅 Ø ₩ XŔ 🛛 ,i 🖾 Ø ; 🖾 ; 🕬 . x xx. ,i 🖬 ـ ان , i , i - l 🖾 _ e _ 🛙 ,i 🖬. XX Ø Acknowledgement KΧ • , Μ. We are thankful to Dr. Reddy s laboratories, Hyderabad, India for providing us gift sample of Rizatriptan benzoate.

Citation: Sirisha V, Sreedhar C, Sreenivasa Rao T (2013) Analytical Method Development and Validation for Quantitative Estimation of Rizatriptan Benzoate . 2: 620 doi: 620